



# Index

Page numbers in **bold** refer to definitions of terms and algorithms; page numbers in *italics* refer to items in the bibliography.

- < (before), 389
- (in parsing), 800
- $A \xrightarrow{p} B$  (achieves), 389
- $\lambda$ -expression, **248**
- $\Rightarrow$  (implies), 205
- $\wedge$  (and), 205
- $\Leftrightarrow$  (if and only if), 205
- $\neg$  (not), 204
- $\vee$  (or), 205
- $\mapsto$  (uncertain rule), 524
- $\succ$  (determination), 694
- $\Box p$  (always), 364
- $\Diamond p$  (eventually), 364
- $\models$  (entailment), 201
- $\vdash$  (derives), 203
- $\exists$  (there exists), 250
- $\forall$  (for all), 249
- $\sim$  (*indifferent*), 586
- $\succ$  (preferred), 586
- $u_{\top}$  (best prize), 593
- $u_{\perp}$  (worst catastrophe), 593
- $\chi^2$  (chi squared), 663
- $\epsilon$ -ball, **669**
  
- A\* decoder, **576**
- A\* search, *see* search, A\*
- AAAI (American Association for AI), 30
- Aarts, E. H. I., 456, 1039
- Aarup, M., 455, 987
- Abbott, L. F., 759, 998
- ABC computer, 14
- Abeille, A., 828, 1033
- Abelson, R. P., 24, 829, 1033
- ABO (Asymptotic Bounded Optimality), 973
- Abramson, B., 88, 987
- ABSOLVER, 108
- abstraction, **63**
- ABSTRIPS, 456
- AC-3, **146**, 156
- AC-4, 156
- academy award, 458
- accessible, 41
- accusative case, 806
- Acerio, A., 580, 1010
- Acharya, A., 131, 994
- achieves, **389**
  
- Ackley, D. H., 133, 987
- acoustic model, **568**
  - in disambiguation, 821
- ACT, 286
- ACT\*, 708
- ACTION, 69, 72
- action, 32, 87
  - decomposition (recursive), 427
  - applicable, **378**
  - conditional, 457
  - decomposition, **422**, 423–425
  - joint, **451**
  - monitoring, 441, **441**, 442, 443
  - primitive, **422**
  - rational, 7, 28
  - schema, **377**
  - sensing, **431**, **439**, 456, 600
- action-utility table, **599**
- action-value function, **764**
- ACTIONS, 123, 126
- activation, **737**
- activation function, **737**
- active learning, **764**
- active sensing, **439**, 440, 863
- active vision, 952
- actuator, **32**, 39
- acyclicity, **230**
- Ada programming language, 14
- ADABOOST, 666, 667, **667**, 674
- adaline, 21
- Adams, J., 340
- adaptive control theory, **766**
- adaptive dynamic programming, 767, 788
- add list (in STRIPS), **378**
- ADD-EDGE, 801, **801**, 802
- add-one smoothing, **835**
- Adelson-Velsky, G. M., 187, 987
- adjunct, **809**
- ADL (Action Description Language), **379**, 409
- admissible heuristic, *see* heuristic, admissible, 386
- Adorf, H.-M., 456, 1012
- ADP (Adaptive Dynamic Programming), 767
- Advice Taker, 19, 23
  
- agent, **4**, 32, 54
  - active, 771
  - architecture, 27, 970–972
  - autonomous, 197
  - circuit-based, 227–232
  - components, 968–970
  - continuous planning, **445**
  - decision-theoretic, 466, 584, 629–631
  - function, 33, **33**, 615
  - goal-based, 49–50, 54, 55
  - greedy, **771**
  - intelligent, 28, 962, 968
  - knowledge-based, 13, 194–197, 240, 968
  - learning, 51–54, 56
  - limited rational, 343
  - logical, 195, 225–232, 268
  - model-based, **48**, 48–49
  - naive, 795
  - passive, 765
  - passive ADP, 788
  - passive learning, 788
  - problem-solving, **59**, 59–64
  - program, **33**, 44, **44**, 54
  - rational, **4**, 4–5, 32, **34**, 34–36, 55, 607, 968
  - reflex, **46**, 46–48, 54, 615
  - replanning, 455
  - software, **40**
  - taxi-driving, 53, 971
  - utility-based, 51, 54, 629
  - vacuum, 35, 57–58
  - wumpus, 198, 258, 462, 863
- aggregation, **420**
- Agmon, S., 757, 987
- Agre, P. E., 458, 987
- agreement (in a sentence), **806**
- Aho, A. V., 828, 983, 987
- AI, *see* artificial intelligence
- AI Winter, 24
- aircraft carrier scheduling, 458
- airport siting, 593, 597
- airport, driving to, 462
- AISB (Society for Artificial Intelligence and Simulation of Behaviour),

- 30
- Ait-Kaci, H., 313, 987
- Aizerman, M., 759, 987
- al-Khowarazmi, 8
- albedo, 868
- Alberti, L. B., 895
- Albus, J. S., 786, 987
- Aldiss, B., 964
- Aldous, D., 132, 987
- Alexandria, 15
- algorithm, **8**
- algorithmic complexity, *see*  
Kolmogorov complexity
- Alhazen, 895
- ALICE, 948
- ALIGN, 891, **892**
- alignment method, **891**, 890–892
- ALisp, **935**
- Allais, M., 592, 987
- Allen, B., 455, *1003*
- Allen, J. F., 365, 412, 830, 987
- Allen, W., 574
- Almanac Game, 609
- Almuallim, H., 709, 987
- Almulla, M., 131, *1027*
- ALPAC., 860, 987
- Alperin Resnick, L., 353, 367, 992
- alpha–beta, *see* search, alpha–beta
- alpha–beta pruning, **167**, 191
- ALPHA-BETA-SEARCH, **170**, 173
- Alshawi, H., 828, 987
- Alterman, R., 456, 987
- altruism, 465
- Alvey report, 24
- ALVINN, 27
- AM, 710
- Amarel, S., 88, 90, 363, 987
- ambiguity, 242, 347, **794**,  
818–821
- Ambros-Ingerson, J., 456, 458,  
987
- Amit, D., 757, 987
- analogical reasoning, 709
- ANALOGY, 19, 20, 30
- analysis of algorithms, **977**
- Analytical Engine, 14
- Anantharaman, T. S., 187, *1010*
- Anbulagan, 235, *1018*
- anchor text, **345**
- AND–OR graph, **218**
- And-Elimination, **211**
- AND-OR-GRAPH-SEARCH, **435**,  
436, 437, 460
- AND-SEARCH, 435, **435**
- Andersen, S. K., 529, 987
- Anderson, A. R., 965, 966, 988
- Anderson, C. R., 411, 457, *1040*
- Anderson, C. W., 786, 989
- Anderson, J. A., 30, 757, 988,  
*1009*
- Anderson, J. R., 14, 286, 530,  
708, 988, *1028*
- Andre, D., 133, 787, 935, 988,  
*1016*
- Anshelevich, V. A., 189, 988
- answer literal, **300**
- answer set programming, **357**
- answer sets, **357**
- antecedent, 205
- Anthony, M., 675, 758, 988
- anytime algorithm, **971**
- aortic coarctation, **605**
- apparent motion, 875
- Appel, K., 156, 988
- Appelt, D., 829, 860, *1009*
- APPEND, 119, 291, **291**, 292
- applicable action, **378**
- Apt, K. R., 157, 988
- Apté, C., 860
- Apté, C., 988
- Arbuckle, T., 186, 990
- arc consistency, **145**
- architecture, **44**
- agent, 27
- blackboard, 580
- cognitive, **286**
- for speech recognition, 26
- hybrid, **971**
- parallel, 134
- real-time, 314
- rule-based, 286
- subsumption, 458
- Arentoft, M. M., 455, 987
- Ares, M., 993
- ARGS, 278
- argument
- from disability, 948–949
- from informality, 950–952
- Aristotle, 4, 6, 7, 10, 55, 233, 267,  
310, 363, 366, 895, 964,  
965
- arity, **246**, 283
- Arkin, R., 942, 988
- Arlazarov, V. L., 187, 987
- Armstrong, D. M., 965, 988
- Arnauld, A., 7, 584, 607, 988
- Arora, S., 88, 988
- ARPAbet, 569
- artificial
- flight, 3
- insemination, 953
- sweeteners, 953
- urea, 953
- artificial intelligence, **1**, 1–975
- applications, 27–28
- conferences, 30
- definition, 1
- foundations, 5–16, 776
- future of, 974–975
- goals of, 972–974
- history, 16–27
- journals, 30
- philosophy of, 947–967
- possibility of, 947–952
- programming language, 18
- as rational agent design, 5
- real-time, **971**
- societies, 30
- strong, **947**
- subfields, 1
- as universal field, 1
- weak, **947**
- Asada, M., 940, *1014*
- asbestos removal, 593
- Ashby, W. R., 757, 988
- Asimov, I., 939, 964, 988
- ASK, 195, 196, 269, 278, 690, 796
- assertion (logical), **253**
- assignment (in a CSP), **137**
- associative memory, **758**
- assumption, **362**
- Astrom, K. J., 645, 988
- astronomer, 534
- asymptotic analysis, **978**, 977–978
- Atanasoff, J., 14
- Atkeson, C. G., 786, *1023*
- Atkin, L. R., 89, *1035*
- ATMS, *see* truth maintenance  
system, assumption-based
- atomic event, **468**, 468
- atomic sentence, *see* sentence,  
atomic
- atoms (in logic), 248
- Audi, R., 966, 988
- augmentation, **806**, 827
- augmented finite state machine,  
**932**
- AURA, 309, 314
- Austin, G. A., 674, 993
- Austin, J. L., 827, 988
- Australia, 138, 144, 152, 376
- AUTOCLASS, 756
- automata, 961, 965
- automated debugging, 709

- automated reasoners, *see* theorem provers  
 automatic pilot, 314  
 automatic sensing, **439**  
 automobile insurance, 592  
 Auton, L. D., 235, 997  
 autonomous underwater vehicle (AUV), **901**  
 autonomous vehicle, 27  
 autonomy, **37**, 376  
 auxiliary variable (in a CSP), **140**  
 average reward, **618**  
 averaging over clairvoyancy, 179  
 Axelrod, R., 645, 988  
 axiom, **255**  
   STRIPS, 411  
   action exclusion, 404  
   decomposability, 587  
   domain-specific, 322  
   effect, 330  
   frame, **331**, 333  
   Kolmogorov's, 471  
   of Chinese room, 959  
   of number theory, 256  
   of probability, 471–474, 981  
   of set theory, 257  
   of utility, 587, 588  
   Peano, **256**, 267, 283  
   possibility, 330  
   precondition, 404  
   situation calculus, 330  
   successor-state, 236, 332, 365, 403  
   unique action, 333  
   unique names, 333  
   usable (in OTTER), 306  
   wumpus world, 258  
 axon, 11  
  
 $b^*$  (branching factor), 106  
 B\* search, 188  
 Babbage, C., 14, 186  
 Bacchus, F., 143, 156, 158, 488, 531, 608, 988  
 bachelor, 324  
 Bachmann, P. G. H., 983, 988  
 BACK-PROP-LEARNING, **746**  
 back-propagation, 22, 25, **745**, 744–748, 755, 757  
 backgammon, 175–177, 182, 189, 778  
 background, 951, 952  
 background assumptions, 874  
 background knowledge, 299, 687  
 backjumping, 157  
  
 backtracking, 898  
   chronological, 148  
   dynamic, 157  
   intelligent, 148–150  
 backtracking search, 76  
 BACKTRACKING-SEARCH, 142, **142**, 148, 149, 208, 221  
 Backus, J. W., 827, 988  
 Backus–Naur form (BNF), 792, **984**  
 backward chaining, **218**, 220, 287–295, 310  
 backward search for planning, 384–385  
 Bacon, F., 6  
 Baeza-Yates, R., 859, 989, 1003  
 bag of words, **842**  
 Baird, L. C. I., 644, 1041  
 Bajcsy, R., 896, 989  
 Baker, C. L., 29, 989  
 Baker, J., 580, 859, 989  
 Balashek, S., 580, 998  
 Baldwin, J. M., 120, 989  
 Ball, M., 411, 1039  
 Ballard, B. W., 189, 191, 989  
 Baluja, S., 133, 989  
 Bancilhon, F., 313, 989  
 bandit problem, **772**  
 Banerji, R., 674, 686, 1023  
 bang-bang control, **780**  
 Bar-Hillel, Y., 828, 860, 989  
 Bar-Shalom, Y., 579, 989  
 Barrett, A., 456, 989  
 Barry, M., 532, 1010  
 Bartak, R., 158, 989  
 Bartlett, F., 13  
 Bartlett, P., 675, 758, 787, 988, 989  
 Barto, A. G., 134, 644, 786, 788, 989, 992, 1037  
 Barton, G. E., 833, 989  
 Barwise, J., 238, 989  
 BASEBALL, 828  
 baseline, **878**  
 Basye, K., 940, 999  
 Bateman, J. A., 829, 989  
 Bates, E., 830, 1001  
 Bates, M. A., 14, 186, 1038  
 Batman, 458  
 bats, 458  
 Baum, E., 117, 188, 758, 989  
 Baum, L. E., 579, 756, 989  
 Baxter, J., 787, 989  
 Bayardo, R. J., 235, 990  
 Bayerl, S., 314, 1018  
  
 Bayes' rule, 9, **479**, 479–481, 486, 490, 568  
 Bayes, T., 479, 487, 990  
 Bayes–Nash equilibrium, **640**  
 Bayesian classifier, 482  
 Bayesian model merging, **840**  
 Bayesian network, 26, **492**, 492–499, 536  
   dynamic, **559**, 559–568  
   hybrid, **501**  
   inference, 504–510  
   learning, 722–724  
   learning hidden variables, 732–733  
 BDD, 439  
 Beal, D. F., 188, 990  
 Bear, J., 860, 1009  
 Beckert, B., 315, 990  
 beer factory scheduling, 458  
 Beeri, C., 157, 990  
 beetle, dung, 37, 56  
 beetles, 243  
 behavior language, **934**  
 behaviorism, **13**, 16, 55  
 belief, 341–343  
   and desires, 584–586  
   degree of, 474  
   function, **525**  
   network, *see* Bayesian network  
   propagation, 531  
   revision, **360**  
   state, 437, 466, **541**, 626  
   update, **360**  
 Bell Labs, 580  
 Bell, C., 430, 455, 990  
 Bell, D. A., 756, 995  
 Bell, J. L., 267, 990  
 Bell, T. C., 858, 859, 1041  
 Bellman equation, **620**  
 Bellman update, **620**  
 Bellman, R. E., 2, 10, 88, 89, 130, 620, 644, 990  
 Belongie, S., 758, 897, 990  
 Belsky, M. S., 186, 990  
 benchmarking, **977**  
 Bender, E. A., 990  
 Bendix, P. B., 314, 1014  
 BENINQ, 367  
 Bennett, B., 368, 996  
 Bennett, F. H., 133, 1016  
 Bennett, J., 309, 314, 1007  
 Bentham, J., 608, 990  
 Berger, H., 11  
 Berger, J. O., 759, 990  
 Berlekamp, E. R., 89, 990

- Berleur, J., 960, *990*  
 Berliner, H. J., 187–189, *990*  
 Bernardo, J. M., 721, *990*  
 Berners-Lee, T., 364, *990*  
 Bernoulli, D., 590, 607, *990*  
 Bernoulli, J., 9, 487, 610  
 Bernstein, A., 186, *990*  
 Bernstein, P. L., 488, 648, *990*  
 Berrou, C., 531, *990*  
 Berry, C., 14  
 Berry, D. A., 786, *990*  
 Bertele, U., 529, *990*  
 Bertoli, P., 457, *990, 991*  
 Bertsekas, D., 644, 788, 983, *991*  
 Berwick, R. C., 833, 989  
 BESM, 186  
 best possible prize, 593  
 best-first search, **94**, 129  
 BEST-FIRST-SEARCH, 95  
 beta distribution, 561, **721**  
 betting game, 474  
 Bezzel, M., 88  
 bias weight, **737**  
 bias, declarative, **697**  
 Bibel, W., 312, 314, 315, *991, 1018*  
 Bickford, M., 309, *1036*  
 biconditional, **205**  
 Biddulph, R., 580, *998*  
 bidirectional search, 87  
 Bidlack, C., 940, *996*  
 Bigelow, J., 15, *1031*  
 Biggs, N. L., 156, *991*  
 bigram model, 568, **574**  
 Bilmes, J., 580, *1030*  
 binary decision diagram, 439  
 binary resolution, **297**  
 Binder, J., 579, 756, *991, 1032*  
 binding list, **254**  
 Binford, T. O., 897, *991*  
 Binmore, K., 645, *991*  
 binocular stereopsis, **876**, 876–895  
 binomial nomenclature, 363  
 bioinformatics, 858  
 biological naturalism, **954**  
 biometrics, **885**  
 bipartite matching, 889  
 Birnbaum, L., 860, *991*  
 Biro, J. I., 966, *991*  
 Birtwistle, G., 366, *991*  
 Bishop, C. M., 132, 530, 758, 759, *991*  
 Bishop, R. H., 55, *1000*  
 Bistarelli, S., 156, *991*  
 bit (of information), 659  
 Bitman, A. R., 187, 987  
 Bitner, J. R., 156, *991*  
 BKG (backgammon program), 189  
 black box, **137**  
 blackboard architecture, **580**  
 BLACKBOX, 408, 411  
 Blake, A., 568, 579, *1011*  
 Blei, D. M., 858, *991*  
 blind search, *see* search, uninformed  
 Blinder, A. S., 648, *991*  
 Block, N., 965, 966, *991*  
 blocks world, 19, 24, 368, **381**, 381–382, 445  
 Blum, A. L., 410, *991*  
 Blumer, A., 675, *991*  
 BNF (Backus–Naur form), 792, 984  
 BO, *see* bounded optimality  
 Bobick, A., 579, *1011*  
 Bobrow, D. G., 19, 709, 860, *991*  
 Boddy, M., 457, 971, *999, 1006*  
 Boden, M. A., 233, 966, *991*  
 body, 287  
 body (of a clause), **218**  
 boid, **453**, 458  
 Boltzmann machine, **759**  
 Bonaparte, N., 186  
 Bonasso, R. P., 942, *1016*  
 Boneh, D., 117, 989  
 Bonet, B., 411, 457, *991, 992*  
 Boole, G., 7, 8, 234, 267, *992*  
 Boolean  
   CSP, **139**  
   function, 738  
   keyword model, 841  
   logic, *see* logic, propositional, 234  
   random variable, 467  
 Boolos, G. S., 315, *992*  
 boosting, 673  
 Booth, A. D., 860, *1019*  
 Booth, T. L., 858, *992*  
 Borel, E., 645, *992*  
 Borenstein, J., 940, 941, *992*  
 Borgida, A., 353, 367, *992*  
 Boser, B., 758, *1017*  
 Boser, B. E., 675, 759, *992*  
 bottom-up parsing, **798**  
 Bottou, L., 758, 897, *1017*  
 boundary set, **683**  
 bounded optimality, **973**  
   asymptotic (ABO), **973**  
 bounded rationality, **973**  
 Boutilier, C., 365, 458, 644, *992*  
 Bowden, B. V., 14, 186, *1038*  
 Bower, G. H., 785, *1009*  
 Box, G. E. P., 132, *992*  
 BOXES, 780, 781  
 Boyan, J. A., 132, 786, *992*  
 Boyen, X., 580, *992*  
 Boyer, R. S., 309, 314, *992*  
 Boyer–Moore theorem prover, 309, 314  
 Boyle, J., 315, *1042*  
 Brachman, R. J., 353, 367, 369, *992, 1018*  
 Bradshaw, G. L., 710, *1017*  
 Bradtke, S. J., 134, 644, 786, 989, *992*  
 Brady, J. M., 579, *1025*  
 Brafman, R. I., 458, 786, *992*  
 Brahmagupta, 156  
 brain, 16  
   computational power, 12  
   damage, optimal, **748**  
   prosthesis, 956–958, 967  
   states, 954  
   super, 9  
   in a vat, 955  
   vs. computer, 12  
 brains cause minds, 12, 955  
 Braitenberg, V., 942, *992*  
 branching factor, **72**, 693  
   effective, **106**, 130, 169  
 Brandeis, L., 962  
 Bransford, J., 833, *992*  
 Bratko, I., 131, 314, 703, *992, 993*  
 Bratman, M. E., 56, 966, *993*  
 Braverman, E., 759, *987*  
 breadth-first search, **73**, 87  
 Breese, J. S., 56, 529, 531, 532, 609, 972, *993, 1010, 1040*  
 Breiman, L., 674, *993*  
 Brelaz, D., 156, *993*  
 Brent, R. P., 132, *993*  
 Bresnan, J., 828, *993*  
 Brewka, G., 367, *993*  
 bridge (card game), 31  
 Bridge Baron, 185  
 Bridle, J. S., 758, *993*  
 Briggs, R., 363, *993*  
 brightness, 867  
 Brin, S., 859, *993*  
 Brioschi, F., 529, *990*  
 Britain, 22, 24  
 Broadbent, D. E., 13, *993*  
 Broca, P., 10

- Brooks, M. J., 896, *1010*  
 Brooks, R. A., 55, 233, 236, 458, 932, 934, 941, 942, *993*  
 Brouwer, P. S., 786, *989*  
 Brown, J. S., 368, 710, *998*, *1018*  
 Brown, M., 757, *993*  
 Brown, P. F., 854, 860, *993*  
 Brownston, L., 312, *993*  
 Brudno, A. L., 187, *993*  
 Brunelleschi, F., 895  
 Bruner, J. S., 674, *993*  
 Brunnstein, K., 960, *990*  
 Brunot, A., 758, 897, *1017*  
 Bryant, R. E., 439, 457, *993*  
 Bryson, A. E., 22, 757, *993*  
 Buchanan, B. G., 22, 23, 56, 363, 531, 674, 686, *993*, *994*, *1002*, *1019*  
 buffalo, 833  
 BUGS, 530, *755*  
 BUILD, 368  
 Bulfin, R., 646, *1030*  
 bunch, **325**  
 Bundy, A., 315, 708, *994*, *1039*  
 Bunt, H. C., 366, *994*  
 Buntine, W., 709, *1024*  
 Burgard, W., 940, *994*, *1003*  
 burglar alarm, 493–495  
 Burns, C., 532, *1024*  
 Buro, M., 182, *994*  
 Burstall, R. M., 315, 364, *994*  
 Burstein, J., 949, *994*  
 Bylander, T., 387, 409, *994*
- C-BURIDAN, 457  
 Cajal, S., 11  
 calculus, 119  
 Calera, J., 830, *994*  
 Califf, M. E., 830, *1023*  
 CALL, 291, 292  
 Calvanese, D., 367, *994*  
 Cambefort, Y., 56, *1007*  
 Cambridge, 13  
 Cameron-Jones, R. M., 703, *1030*  
 Campbell, M. S., 181, 187, 188, *994*, *1010*  
 can machines think, **948**  
 candidate definition, **679**  
 candidate elimination, **683**  
 Canny edge detection, 753, **872**, 897  
 Canny, J., 897, 941, *994*  
 canonical distribution, **500**  
 Cantu-Paz, E., 133, *1028*  
 Capek, K., 939, 962
- Carbonell, J. G., 456, 675, 708, *994*, *1022*, *1039*  
 Carbonell, J. R., 709, *994*  
 Cardano, G., 9, 487  
 Carlin, J. B., 759, *1005*  
 CARMEL, 940  
 Carnap, R., 6, 7, 472, 475, 487, 488, 531, *994*  
 Carnegie Mellon University, 17  
 Carpenter, M., 456, *999*  
 Carrasco, R. C., 830, *994*  
 Carson, D., 314, *1042*  
 cart–pole problem, **780**  
 cascaded finite state transducers, **849**  
 case (linguistics), 806  
 case folding, **844**  
 case statement (in condition plans), 435  
 case-based reasoning, 708  
 CASSANDRA, 457  
 Cassandra, A. R., 645, *994*, *1013*  
 category, **322**, 322–328  
 Caterpillar English, 851  
 causal influence, 497  
 causal link, **389**  
 causal network, *see* Bayesian network  
 causal rules, **260**  
 causation, 207, 260, 481  
 caveman, 687  
 CCD (charge-coupled device), 865, 899  
 cell decomposition, 916, **919**  
   exact, **921**  
 cell layout, 68  
 central limit theorem, **982**  
 cerebral cortex, 11  
 Ceri, S., 312, *994*  
 certainty equivalent, **591**  
 certainty factor, 23, **525**, 531  
 CES, **935**  
 CFG, *see* grammar, context-free  
 CGP, 457  
 CHAFF, 222, 224, 235  
 chain rule, **496**  
 Chakrabarti, P. P., 131, 134, *994*, 998  
 Chambers, R. A., 780, 785, *1022*  
 Chan, W. P., 896, *994*  
 chance node (decision network), **598**  
 chance node (game tree), **177**  
 chance of winning, 171  
 Chandra, A. K., 312, 313, *995*
- Chang, C.-L., 315, *995*  
 Chang, K. C., 530, *1004*  
 channel routing, 68  
 Chapman, D., 410, 458, 987, *995*  
 charge-coupled device, 865, 899  
 Charniak, E., 2, 24, 312, 829, 859, 861, *995*, *1005*  
 chart, **800**  
 CHART-PARSE, **801**, 804, 805  
 chatbot, 948  
 Chateau Latour, 953  
 Chatfield, C., 579, *995*  
 Chatila, R., 940, *1024*  
 checkers, 18, 56, 181–182, 189, 192  
 checkmate, 81  
 Cheeseman, P., 9, 26, 157, 235, 532, 756, 940, *995*, *1036*  
 Chekaluk, R., 940, *999*  
 chemistry, 23  
 Chen, R., 579, *1019*  
 Cheng, J., 530, 756, *995*  
 Cheng, J.-F., 531, *1021*  
 Chervonenkis, A. Y., 675, *1039*  
 chess, 14, 21, 42, 89, 162, 172–173, 180–181, 186  
   automaton, 186  
 CHESS 4.5, 89  
 CHESS 4.6, 187  
 $\chi^2$  pruning, **663**  
 Chickering, D. M., 188, 756, *1008*, *1015*  
 Chien, S., 455, *1004*  
 Chierchia, G., 29, 828, *995*  
 CHILL, 826, 830  
 chimpanzees, 790  
 Chinese room, 958–960, 967  
 Chinook, 182, 192  
 choice point, **290**  
 Chomsky normal form, **840**  
 Chomsky, C., 828, *1007*  
 Chomsky, N., 13, 16, 793, 827, 830, 858, *995*  
 CHOOSE-ATTRIBUTE, 658–660  
 CHOOSE-LITERAL, 702, 703  
 Choset, H., 941, *995*  
 Christmas, 953  
 chronological backtracking, 148  
 cHUGIN, 530  
 Chung, K. L., 488, 983, *995*  
 Church, A., 8, 275, 311, *995*  
 Church, K., 804, 828, 858, *995*  
 Churchland, P. M., 965, *995*  
 Churchland, P. S., 958, 965, *995*, 996

- CIGOL, 709  
 Cimatti, A., 411, 457, 990, 991, 996  
 circuit verification, **265**  
 circuit-based agent, **227**  
 circumscription, **358**, 363, 367  
   prioritized, **359**  
 city block distance, 106  
 Clamp, S. E., 488, 998  
 Clark completion, 367  
 Clark Normal Form, **355**  
 Clark, K. L., 367, 996  
 Clark, P., 709, 996  
 Clark, S., 940, *1000*  
 Clarke, A. C., 529, 961, 996  
 Clarke, E., 315, 411, 996  
 Clarke, M. R. B., 189, 996  
 class probability, **676**  
 CLASSIC, 353, 354  
 classical planning, **375**, 430, 432  
 classification (in description logic), **353**  
 clause, **214**  
 Clearwater, S. H., 646, 996  
 CLINT, 709  
 Clinton, W. J., 885  
 CLIPS, 312  
 Clocksin, W. F., 314, 996  
 closed class, **796**  
 closed world, 354–356  
 closed-world assumption, 362, 377, 439  
 Clowes, M. B., 882, 897, 996  
 CLP, *see* logic programming, constraint  
 CLP(R), 313  
 clustering, 529, **725**, 726  
 clustering (in Bayesian networks), **510**, 510  
 CMU, 27, 181, 187, 580  
 CN2, 709  
 CNLP, 457  
 co-NP-complete, 210, 235, **979**  
 coarticulation, 572, **572**  
 coastal navigation, **924**  
 Cobham, A., 8, 996  
 Cobley, P., 827, 996  
 Cocke, J., 860, 993  
 coercion, 431, 432, 456  
 cognitive  
   architecture, **286**  
   modeling, 3–4  
   psychology, **13**  
   science, **3**, 29  
 Cohen, B., 235, *1034*  
 Cohen, C., 940, 996  
 Cohen, J., 313, 996  
 Cohen, P. R., 26, 29, 458, 827, 996  
 Cohen, W. W., 709, 996  
 coherence relations, **823**  
 Cohn, A. G., 368, 996  
 coin flip, 524, 525, 610, 659  
 COLBERT, 942  
 Collins, A. M., 709, 994  
 Collins, G., 457, *1029*  
 Collins, M., 757, 996  
 Collins, M. J., 859, 996  
 Colmerauer, A., 267, 313, 827, 996  
 Colombano, S. P., 133, *1019*  
 color, 868–869  
 combinatorial explosion, 22  
 commitment  
   epistemological, 244, 266  
   ontological, 242, 464, 524  
 common sense, 523  
 communication, 790–827  
 commutativity (in search problems), **141**  
 competition, **454**, 454  
 compilation, 292, 429  
 complement (of a verb), **808**  
 complementary literals, **214**  
 complete data, **716**  
 completeness  
   of a proof procedure, 295  
   of a proof procedure, **203**, 233  
   of resolution, 300–303  
   of a search algorithm, **71**, 87  
   theorem, **295**  
 COMPLETER, 802  
 completion (of a data base), **355**  
 complex sentence, 204, 249, 266  
 complex term, 266  
 complexity, 977–979  
   sample, **670**  
   space, **71**, 87  
   time, **71**, 87  
 complexity analysis, 74, **978**  
 compliant motion, **916**  
 component (of mixture distribution), **725**  
 COMPOSE, 288  
 composite decision process, 131  
 composite object, *see* object, composite  
 composition (of substitutions), 288, **288**  
 compositionality, **241**, 810  
 COMPOUND?, 278  
 compression, 777  
 computability, 8  
 computational learning, 137, 668  
 computational learning theory, **668**, 672, 675, 758  
 computational neuroscience, **737**  
 computer, 14–15  
   vs. brain, 12  
 computer graphics, **864**  
 computer vision, *see* vision  
 conclusion (of an implication), **205**  
 concurrent action list, **451**  
 conditional distributions, 500–504  
 conditional effects, **433**  
 conditional Gaussian, **503**  
 conditional independence, **481**, 485, 486, 490, 499–504, 528, 545  
 conditional planning, 431–440, 454, 604  
 conditional probability, *see* probability, conditional  
 conditional probability table, **494**  
 conditional steps, **433**  
 conditioning, **476**  
 conditioning case, **494**  
 Condon, J. H., 187, 996  
 configuration space, **917**  
 confirmation theory, **6**, 488  
 conflict-directed backjumping, **149**  
 conformant planning, 431, 455, **457**  
 Congdon, C. B., 940, 996  
 conjugate prior, **721**  
 conjunct, 205  
 conjunct ordering, **284**  
 conjunction (logic), **205**  
 conjunctive normal form, **215**, 215, 295–297  
 connection method, 312  
 connectionism, **25**, *see* neural network  
 connective  
   logical, 16, 204, 249  
 Connell, J., 942, 996  
 consciousness, 10, 952, **955**, 956, 957, 960  
 consequent, 205  
 consistency, 353, 679  
   condition, 130  
   of a heuristic, **99**  
   of actions, **385**

- consistent estimation, **512**  
 consistent plan, *see* plan, consistent  
 CONSISTENT-DET?, 696, **696**  
 Console, L., 55, *1007*  
 conspiracy number, 188  
 constant symbol, **246**, 248, 266  
 constraint  
   binary, 140  
   entailment, 700  
   graph, **138**, 153  
   nonlinear, **139**  
   ordering, 392  
   preference, **140**  
   propagation, **145**, 144–147  
   recording, **157**  
   resource, **148**  
   special, 147  
   unary, 140  
 constraint logic programming, *see*  
   logic programming  
 constraint satisfaction, 19  
   problem, **137**, 137–141  
 constructive induction, 700  
 CONTENTS, 796  
 context-free grammar, *see*  
   grammar, context-free  
 context-sensitive grammar, *see*  
   grammar, context-sensitive  
 contingency problem, *see*  
   problem, contingency  
 continuation, **292**  
 continuity (of preferences), **587**  
 continuous change, 337  
 continuous planning, 431, 432,  
   445–449, 455, 458  
 continuous speech, **574**  
 CONTINUOUS-POP-AGENT,  
   449, **449**, 458  
 contour, 874, 881–884  
 contour (of a state space), **100**  
 contrapositive, 308  
 control  
   lateral, 893  
   longitudinal, 894  
 control theory, 15, 55, 132, 409,  
   757, 780, 928  
   adaptive, **766**, 785  
 control uncertainty, 925  
 controller, 55, **927**  
 convention, **452**  
 conversion to normal form,  
   296–297  
 CONVINCED, 529  
 convolution, **869**, 899  
 Conway, J. H., 89, *990*  
 Cook, P. J., 961, *1003*  
 Cook, S. A., 9, 235, 983, *996*  
 Cooper, G., 530, 756, *997*, *1035*  
 cooperation, 450–451  
 coordinate frame, 874  
 coordination, **451**, 452–454  
 coordination game, **635**  
 Copeland, J., 365, 966, *997*  
 Copernicus., 961, *997*  
 Core Language Engine, 828  
 Cormen, T. H., 983, *997*  
 corpus-based, **834**  
 Cortes, C., 757, 758, 897, *997*,  
   *1017*  
 count noun, **328**  
 Cournot, A., 645, *997*  
 Covington, M. A., 830, *997*  
 Cowan, J. D., 20, 757, *997*, *1041*  
 Cowell, R., 755, *1036*  
 Cox, I., 579, 940, *997*  
 Cox, R. T., 475, 487, *997*  
 CPCS, 501  
 CPT, *see* conditional probability  
   table  
 crack, **883**  
 Craig, J., 941, *997*  
 Craik, K. J., 13, *997*  
 Crawford, J. M., 235, *997*  
 creativity, 16  
 Cremers, A. B., 940, *994*  
 Crick, F. H. C., 120, *1040*  
 Cristianini, N., 757, 759, *993*, *997*  
 critic (in learning), **52**  
 critical path method, **418**  
 critical point, **224**  
 Crocker, S. D., 187, *1007*  
 Crockett, L., 365, *997*  
 Croft, W. B., 859, *1029*, *1038*  
 Cross, S. E., 28, *997*  
 cross-correlation, **875**  
 cross-validation, **663**, 748, 762  
 crossover, **118**  
 crossword puzzle, 28, 42, 158  
 Cruse, D. A., 844, *997*  
 cryptarithmic, **140**  
 Csorba, M., 940, *1000*  
 CSP, *see* constraint satisfaction  
   problem  
 Culberson, J., 131, *997*  
 Cullingford, R. E., 24, 829, *997*  
 cult of computationalism, 947  
 cumulative learning, 700, 707  
 cumulative probability density  
   function, **982**  
 curiosity, 774  
 current-best-hypothesis, 674, **680**  
 CURRENT-BEST-LEARNING,  
   681, **681**, 682  
 Currie, K. W., 455, *1004*  
 Cussens, J., 830, *997*  
 CUTOFF-TEST, 173  
 Cybenko, G., 758, *997*  
 cybernetics, **15**, 15  
 CYC, 363–365  
 cyclic solution, **436**  
 CYPRESS, 458  
 D'Ambrosio, B., 529, *1034*  
 d-separation, **499**  
 Džeroski, S., 705, 709  
 DAG, *see* directed acyclic graph  
 Daganzo, C., 530, *997*  
 Dagum, P., 530, *997*  
 Dahl, O.-J., 366, *991*, *997*  
 Dale, R., 829, 830, *997*, *1030*  
 DALTON, 710  
 Damerau, F., 860, *988*  
 Daniels, C. J., 134, *1020*  
 Dantzig, G. B., 132, *998*, *1041*  
 DARKTHOUGHT, 188  
 Darlington, J., 315, *994*  
 DARPA, 28, 580  
 DART, 28  
 Dartmouth workshop, 17  
 Darwiche, A., 530, 532, *998*  
 Darwin, C., 120, 961, *998*  
 Dasgupta, P., 134, *998*  
 data complexity, *see* complexity  
 data mining, **26**  
 data-driven, **219**  
 Datalog, **281**, 310, 312  
 dative case, 806  
 Daun, B., 456, *999*  
 Davidson, D., 365, *998*  
 Davies, T. R., 694, 708, 709, *998*  
 Davis, E., 364, 366, 368, 369, *998*  
 Davis, G., 456, *999*  
 Davis, K. H., 580, *998*  
 Davis, M., 221, 234, 235, 300,  
   311, *998*  
 Davis, R., 710, *998*  
 Davis–Putnam algorithm, **221**  
 Dawid, A., 529, *1017*  
 Dawid, P., 755, *1036*  
 Dayan, P., 759, 786, *998*, *1023*,  
   *1033*  
 da Vinci, L., 6, 895  
 DBN, *see* dynamic Bayesian  
   network



- DCG, *see* grammar, definite clause
- DDN, *see* decision network, dynamic
- de Morgan rules, 252
- Deacon, T. W., 25, 999
- Deale, M., 456, 999
- Dean, M. E., 309, 1026
- Dean, T., 455, 579, 644, 645, 940, 941, 971, 999
- Dearden, R., 644, 992
- Debevec, P., 896, 999
- Debreu, G., 596, 999
- debugging, 262
- Dechter, R., 130, 156–158, 529, 999
- decision
- one-shot, **586**
  - problem, 8
  - rational, 463, 584, 604
  - sequential, 586, 600, **613**
  - under uncertainty, 465
- decision analysis, **604**
- decision analyst, **604**
- decision list, **670**
- decision maker, **604**
- decision network, 492, 584, **597**, 597–600, 607, 608, 629
- dynamic, **629**, 644
  - evaluation, 599
- decision node, **598**
- decision stump, **666**
- decision theory, 9, 26, **465**, 607
- decision tree, 608, 653, **653**
- expressiveness, 655
  - pruning, **662**
- DECISION-LIST-LEARNING, 671, 672, **672**
- DECISION-TREE-LEARNING, 656–658, **658**, 661–663, 672, 676, 677, 679, 696, 697, 700
- declarative bias, **697**
- declarativism, **197**
- decomposability (of lotteries), **588**
- decomposition (of plans), 459
- DeCoste, D., 757, 758, 999
- Dedekind, R., 267, 999
- deduction, *see* logical inference
- deduction theorem, **210**
- deductive databases, 310
- Deep Blue, 27, 180, 181, 188
- Deep Space One, 55, 407, 456
- Deep Thought, 181, 187
- Deerwester, S. C., 858, 999
- default logic, **359**, 363, 367
- default reasoning, 354–360
- default value, **352**
- definite clause grammar, *see* grammar, definite clause
- definite clauses, **218**, 280–281
- definition (logical), **255**
- deformable matching, **888**
- degree heuristic, **144**
- degree of belief, **464**
- interval-valued, 523
- degree of freedom, **904**
- controllable, **905**
  - effective, **905**
- degree of truth, 244
- DeGroot, M. H., 488, 759, 999
- DeJong, G., 708, 860, 999, 1000
- delay line, **228**
- delete list (in STRIPS), **378**
- deleted interpolation smoothing, 858
- deliberate layer, **934**
- Dellaert, F., 940, 1003
- Della Pietra, S. A., 854, 860, 993
- Della Pietra, V. J., 854, 860, 993
- delta rule, **778**
- Del Favero, B. A., 529, 1034
- demodulation, 304, **304**, 314
- demodulator, 306, 318
- Dempster's rule, 526
- Dempster, A. P., 526, 531, 579, 756, 1000
- Dempster–Shafer theory, 523, 525–526, 531
- Den (denotation), 342
- DENDRAL, 22, 23, 363
- dendrite, 11
- Denes, P., 580, 1000
- Deng, X., 133, 1000
- Denis, F., 830, 1000
- Denker, J., 758, 897, 1017
- Dennett, D. C., 951, 953, 966, 1000
- Deo, N., 89, 1000
- DEPTH, 69, 72, 77
- depth limit, 173
- depth of field, **866**
- depth-first search, **75**, 87
- DEPTH-LIMITED-SEARCH, **77**, 78
- derivational analogy, 708
- derived sentences, 203
- DeSarkar, S. C., 134, 998
- Descartes, R., 6, 895, 965, 1000
- descendant (in Bayesian networks), **499**
- Descotte, Y., 455, 1000
- description logic, 349, **353**, 353–354, 362, 367
- descriptive theory, **592**
- detachment, 524, **524**
- detailed balance, **518**
- determination, **694**, 709, 710
- minimal, 696
- deterministic environment, 41
- deterministic node, **500**
- Deville, Y., 157, 1039
- DEVISER, 455
- Devroye, L., 755, 756, 1000
- Dewey Decimal system, 323
- de Bruin, A., 188, 1028
- de Dombal, F. T., 488, 998
- de Finetti, B., 474, 487, 998
- de Freitas, J. F. G., 568, 998
- de Kleer, J., 157, 312, 368, 998, 1003, 1040
- de Marcken, C., 830, 833, 998
- De Morgan, A., 267, 998
- De Raedt, L., 709, 830, 998, 1024
- de Sarkar, S. C., 131, 994
- de Saussure, F., 827, 999
- diachronic, **258**
- diagnosis, 463
- dental, 463
  - medical, 260, 498, 525, 600, 962
- diagnostic rule, **259**
- diameter (of a graph), **77**
- Dickinson, M. H., 896, 994
- Dickmanns, E. D., 897, 1000
- dictionary, 21
- Dietterich, T., 675, 708, 709, 787, 987, 1000, 1034
- difference engine, 14
- differential drive, 905
- differential equation, 927
- differentiation, 690
- diffuse reflection, 867
- DiGioia, A. M., 28, 1000
- digit recognition, 752–754
- Digital Equipment Corporation (DEC), 24, 286
- Dijkstra, E. W., 89, 130, 965, 1000
- Dill, D. L., 309, 1026
- Dimopoulos, Y., 411, 1014
- Diophantine equations, **156**
- Diophantus, 156
- Diorio, C., 580, 1030
- Diplomacy, 166

- directed acyclic graph (DAG), 493, 529  
 disabilities, 967  
 DISAMBIGUATE, 796  
 disambiguation, **795**, 815, 818–821, 827  
 discontinuities, 870  
 discount factor, **617**, 644  
 discourse, **821**  
     coherent, 823–824  
     understanding, 821–824  
 discrete event, *see* event, discrete  
 discretization, 121, **501**  
 discrimination net, 674  
 disjoint sets, **324**  
 disjunct, 205  
 disjunction, **205**  
 disjunctive effects, **433**  
 disparity, **877**, 878  
 Dissanayake, G., 940, *1000*  
 distribution  
     beta, **721**  
     mixture, **725**  
 divide-and-conquer, 407, 581  
 Dix, J., 367, *993*  
 Dixon, J. K., 187, *1035*  
 Dizdarevic, S., 133, 136, *1017*  
 DLV, 367  
 Do, M. B., 455, *1000*  
 document classification, **845**  
 document clustering, **845**  
 DOF, *see* degree of freedom  
 dolphin, 10, 790  
 DOMAIN, 146  
 domain  
     element, **245**  
     in a CSP, **137**  
     in first-order logic, **245**  
     in knowledge representation, **253**  
     independence, 376  
     of a random variable, **467**  
 dominance  
     stochastic, **594**  
     strict, **594**  
 dominant strategy, **633**  
 dominant strategy equilibrium, **633**  
 domination (of heuristics), **106**  
 Domingos, P., 488, 755, *1000*  
 Donskoy, M. V., 187, 987  
 Doran, C., 828, *1000*  
 Doran, J., 130, 131, *1000*  
 Dorf, R. C., 55, *1000*  
 Doucet, A., 580, *1000*  
 Dow, R. J. F., 758, *1035*  
 Dowling, W. F., 235, *1000*  
 Dowty, D., 828, *1000*  
 Doyle, J., 55, 157, 367, 368, 608, *1000*, *1001*, *1021*, *1040*  
 DPOLL, 221, 222, **222**, 224–226, 231, 235, 238, 239, 406  
 DPOLL-SATISFIABLE?, **222**  
 Drabble, B., 455, *1001*  
 DRAGON, 580  
 Draper, D., 457, *1001*, *1002*  
 Drebbel, C., 15  
 Dreussi, J., 456, *1035*  
 Dreyfus, H. L., 365, 951, 972, *1001*  
 Dreyfus, S. E., 88, 89, 644, 951, *990*, *1001*  
 drilling rights, 600  
 drone, **937**  
 dropping conditions, **682**  
 Drucker, H., *1017*  
 Druzdzal, M. J., 530, 995  
 DT-AGENT, **466**  
 du Pont, 24  
 Du, D., 236, *1001*  
 dualism, **6**, **954**, 964  
 Dubois, D., 532, *1001*  
 Dubois, O., 235, *1035*  
 duck, mechanical, 939  
 Duda, R. O., 488, 531, 755, 759, *1001*  
 Dudek, G., 942, *1001*  
 Duffy, K., 757, 996  
 Dumais, S. T., 532, 858, 999, *1032*  
 dung beetle, 37  
 Dunham, B., 22, *1004*  
 DURATION, 459  
 Dürer, A., 895  
 Durfee, E. H., 458, *1001*  
 Durrant-Whyte, H., 940, *1000*, *1018*  
 Džeroski, S., *1017*  
 Dyer, M., 24, 829, *1001*  
 DYNA, 786  
 dynamic backtracking, *see* backtracking, dynamic  
 dynamic Bayesian network, 537, **559**, 559–568, 578, 579, 614, 629  
 dynamic decision network, *see* decision network, dynamic  
 dynamic environment, 42  
 dynamic programming, 131, **293**, 546, 644  
     adaptive, **767**, 767, 788  
     nonserial, **529**  
 dynamic stability, **906**  
 dynamic state, **904**  
 dynamic weighting, 130  
 dynamical systems, 578  
 dystopia, 975  
 Dzeroski, S., 709, 830, 997, *1001*, *1014*  
  
*E*(*cat*, *i*) (event), 337  
 $\mathcal{E}_0$  (English fragment), 795  
 Earley, J., 828, *1001*  
 earthquake, 493  
 Eastlake, D. E., 187, *1007*  
 Ebeling, C., 187, *990*, *1001*  
 EBL, *see* explanation-based learning  
 Eckert, J., 14  
 Eco, U., 827, *1001*  
 economics, 9–10, 55, 589  
 edge (in a chart), **800**  
 edge (in a scene), **870**, 882  
 edge detection, 870–872  
 Edinburgh, 709, 941  
 Edmonds, D., 17  
 Edmonds, J., 8, *1001*  
 Edwards, D. J., 187, *1008*  
 Edwards, P., 966, *1001*  
 Edwards, W., 608, *1039*  
 EEG, 11  
 EFFECT, 433  
 effect, **377**  
     axioms, **330**  
     external, **423**  
     internal, **425**  
     negative, 413  
     positive, 385  
     primary, **423**  
     secondary, **423**  
 effector, **901**  
 EFFECTS, 449  
 Egedi, D., 828, *1000*  
 egomotion, **876**  
 Ehrenfeucht, A., 675, 991  
 8-puzzle, **64**, 88, 89, 91, 105, 107, 130  
 8-queens problem, 66, 88  
 Einstein, A., 1  
 Eiter, T., 367, *1001*  
 EKF, *see* extended Kalman filter  
 electric motor, **906**  
 electronic circuits domain, 262–266  
 Elfes, A., 940, *1024*

- Elhadad, M., 829, *1001*  
 ELIMINATION-ASK, **509**  
 ELIZA, 948, 961  
 Elkan, C., 527, 755, *1001*  
 Elliot, G. L., 156, *1008*  
 Elman, J., 830, *1001*  
 EM algorithm, 542, **725**, 724–733  
   structural, **732**  
 emergent behavior, 453, **931**  
 EMNLP, 861  
 empiricism, **6**  
 Empson, W., 829, *1001*  
 EMPTY?, 71  
 EMV, *see* expected monetary value  
 END, 801  
 Enderton, H. B., 267, 311, *1001*  
 English, 21, 31  
   fragment, 795  
 English auction, **641**  
 ENIAC, 14  
 ensemble learning, 664–668  
 entailment, **201**  
   inverse, **705**  
 entailment constraint, **687**, 700, 707  
 Entscheidungsproblem, 8  
 ENUMERATE-ALL, 506, **506**  
 ENUMERATE-JOINT, 477, **477**  
 ENUMERATION-ASK, 505, **506**  
 environment, **32**, 38–44  
   artificial, 39  
   class, **44**  
   competitive, **42**  
   continuous, **42**  
   cooperative, **42**  
   deterministic, **41**  
   discrete, **42**  
   dynamic, **42**  
   game-playing, 192, 789  
   generator, **44**  
   history, 614  
   multiagent, **42**, 341, 449  
   observable, **41**  
   one-shot, **41**  
   properties, 41  
   semidynamic, **42**  
   sequential, 41, **41**  
   single agent, **42**  
   static, **42**  
   stochastic, **41**  
   strategic, **41**  
   taxi, 38, 39  
 EPAM (Elementary Perceiver And Memorizer), 674  
 Ephrati, E., 458, *1016*  
 epiphenomenalism, **957**  
 episodic environment, 41  
 epistemological commitment, 244, **244**, 266  
 epoch, **742**  
 EQP, 309  
 equality (in logic), 253  
 equality symbol, **253**  
 equilibrium, **633**, 769  
 equivalence (logical), **210**  
 Erdmann, M. A., 89, *1001*  
 ergodic, 517  
 Erman, L. D., 580, *1001*  
 Ernst, G., 130, *1025*  
 Ernst, H. A., 941, *1002*  
 Ernst, M., 411, *1002*  
 Erol, K., 456, *1002*  
 error, **720**  
   sum of squared, **720**  
 error (of a hypothesis), **669**  
 error function, 982  
 Eskimos, 243  
 Essig, A., 488, *1006*  
 Etchemendy, J., 238, 989  
 ethics, 960–964  
 Etzioni, O., 56, 457, 962, 973, *1002*, *1040*  
 EU, *see* utility, expected  
 Euclid, 8, 895  
 EURISKO, 710  
 Europe, 24  
 European Space Agency, 455  
 EVAL, 171, 173  
 evaluation function, **94**, 162, 171–173  
   accuracy, 171  
   linear, 110  
 Evans, T. G., 19, 30, *1002*  
 event, 320, 335–340  
   calculus, **334**, 334–335, 365, 812  
   category, 370  
   discrete, **337**  
   generalized, **335**  
   in probability, **504**  
   liquid, **337**  
 Everett, B., 940, 992  
 evidence, **464**  
 evidence variable, 504  
 evolution, 31, 120, 243  
   machine, **22**  
 example, **651**  
 exceptions, 321  
 exclusive or, 207, 761  
 execution, **60**  
 execution monitoring, 431, **431**, 441–445, 455, 457  
 executive layer, **933**  
 exhaustive decomposition, **324**  
 existential graph, **350**  
 Existential Instantiation, **273**  
 Existential Introduction, **315**  
 EXPAND, 72, **72**, 77, 83, 102  
 EXPAND-GRAPH, 399, 400  
 expansion (of states), **69**  
 expectation–maximization, *see* EM  
 expected monetary value, **589**  
 expected utility, *see* utility, expected  
 expected value (in a game tree), 177  
 EXPECTIMINIMAX, 631  
 expectiminimax, 177, 189  
   complexity of, 177  
 expert system, 363, 604, 607, 710, 962  
   commercial, 286  
   decision-theoretic, 604–607  
   first, 23  
   first commercial, 24  
   HPP (Heuristic Programming Project), **23**  
   logical, 523  
   medical, 28, 531  
   Prolog-based, 289  
   with uncertainty, 26  
 explaining away, 525  
 explanation, **361**, 691  
 explanation-based learning, **688**, 690–694, 707, 708  
 exploration, **37**, 122–129, 786  
 exploration function, **774**, 776  
 exploration problem, **123**  
 EXTEND, 209, 222  
 extended Kalman filter (EKF), **557**, 912  
 EXTENDER, 801, **801**, 802, 803, 805  
 extension (of a causal link), **447**  
 extension (of a concept), **679**  
 extension (of default theory), **359**  
 externalities, **641**  
 EXTRACT-SOLUTION, 399, 400, 402, 403  
 extrinsic property, **328**  
 eyes, 863, 866, 867, 895  
 face detection, 887

- fact, **218**  
 factor (in variable elimination),  
     **507**  
 factoring, **214**, 297  
 Fagin, R., 157, 366, 990, 1002  
 Fahlman, S. E., 20, 367, 368, 1002  
 failure model, 562  
 false negative, **679**  
 false positive, **680**  
 family tree, 699  
 Farrell, R., 312, 993  
 FASTFORWARD, 411  
 FASTUS, 849, 860  
 Faugeras, O., 896, 897, 1002  
 Fearing, R. S., 941, 1002  
 Featherstone, R., 941, 1002  
 feature (of a state), **110**  
 feature (speech), **570**  
 feed-forward network, **738**  
 feedback loop, 525  
 Feigenbaum, E. A., 22, 23, 29,  
     363, 674, 994, 1002, 1019  
 Feinstein, M. H., 29, 1036  
 Feldman, J., 29, 609, 1002  
 Feldman, R., 708, 1037  
 Fellbaum, C., 828, 1002  
 Feller, W., 983, 1002  
 Felner, A., 131, 1016  
 Feng, C., 709, 1024  
 Feng, L., 940, 992  
 Fermat, P., 9, 487  
 Ferraris, P., 457, 1002  
 fertility, **855**, 856  
 FETCH, 278, 316  
 FF (FastForward planner), 411  
 FIFO-QUEUE, 73  
 Fifth Generation project, 24  
 figure of speech, 819  
 Fikes, R. E., 55, 267, 314, 367,  
     409, 456, 457, 708, 940,  
     992, 1002, 1032  
 FILTER, 307  
 filtering, 360, **541**, 542–544, 578,  
     627  
 FIND-PURE-SYMBOL, 222  
 FIND-TRANSFORM, 891, 892,  
     899  
 FIND-UNIT-CLAUSE, 222  
 Findlay, J. N., 364, 1002  
 finite domain, 294  
 finite horizon, **616**  
 finite-state machine, 793  
 Finney, D. J., 530, 1002  
 Firby, J., 934, 1003  
 Firby, R. J., 455, 458, 999, 1003  
 FIRST, 71, 278, 288  
 first-order logic, *see* logic,  
     first-order  
 first-order probabilistic logic,  
     519–522  
 Fischer, M. J., 364, 1003  
 Fisher, R. A., 487, 1003  
 FITNESS-FN, 119  
 Fix, E., 756, 1003  
 fixation, **878**  
 fixed point, **218**, 282  
 fixed-lag smoothing, **547**  
 FIXED-LAG-SMOOTHING, **552**  
 Flannery, B. P., 132, 1029  
 flaw (in a plan), **448**  
 floor-planning, **159**  
 fluent, **329**, 339–340, 817  
 fluent calculus, 333, **338**, 365  
 fly eyes, 876, 893  
 FMP, *see* planning, fine-motion  
 fMRI, 11  
 FOCUS, 709  
 focus, 867  
 focus of expansion, **876**  
 focus spaces, **824**  
 Fogel, D. B., 133, 1003  
 Fogel, L. J., 133, 1003  
 FOIL, 701, **702**, 703, 709, 711  
 FOL, *see* logic, first-order  
 FOL-BC-ASK, 287, 288, **288**,  
     290  
 FOL-FC-ASK, 281, **282**, 283,  
     287  
 folk psychology, 13, 369, 966  
 FOPC, *see* predicate calculus  
 Forbes, J., 786, 1003  
 FORBIN, 455  
 Forbus, K. D., 312, 368, 1003  
 force sensor, **904**  
 Ford, K. M., 29, 965, 1003  
 foreshortening, 879  
 Forestier, J.-P., 787, 1003  
 Forgy, C., 312, 1003  
 formal language, **791**  
 formulate, search, execute, 60  
 FORMULATE-GOAL, 61  
 FORMULATE-PROBLEM, 61  
 Forrest, S., 133, 1023  
 Forsyth, D., 897, 1003  
 Fortescue, M. D., 243, 1003  
 Fortmann, T. E., 579, 989  
 FORWARD, 553, 554  
 forward chaining, **218**, 218–220,  
     235, 280–287  
 forward checking, 144–145  
 forward pruning, **174**  
 forward search for planning,  
     382–384  
 FORWARD-BACKWARD, **546**  
 Foster, D. W., 861, 1003  
 four-color map problem, 156, 950  
 Fourier, J., 156, 1003  
 Fox, D., 940, 994, 1003  
 Fox, M. S., 411, 455, 1003  
 Frakes, W., 859, 1003  
 frame  
     axiom, **331**, 333  
     in representation, **24**, 366  
     in speech, **570**  
     problem, **331**, 364, 365, 378  
     inferential, **331**, 333–335  
     representational, **331**,  
     332–333  
 Francis, S., 859, 1003  
 Franco, J., 235, 1003  
 Frank, M., 158, 1006  
 Frank, R. H., 961, 1003  
 Frankenstein, 962  
 FREDDY, 68, 456, 941  
 Fredkin Prize, 188  
 free space, **918**  
 free will, 6, **955**  
 Freeman, W., 531, 1042  
 Frege, G., 8, 234, 267, 311, 1003  
 frequentism, **472**  
 Freuder, E. C., 157, 158, 1003,  
     1004, 1032  
 Freund, Y., 674, 1004  
 Friedberg, R. M., 22, 133, 1004  
 Friedman, G. J., 132, 1004  
 Friedman, J., 674, 759, 993, 1004,  
     1008  
 Friedman, N., 580, 756, 992, 1004  
 fringe, **70**  
 Fristedt, B., 786, 990  
 FRITZ, 181  
 Frost, D., 158, 999  
 FRUMP, 860  
 Fry, D. B., 580, 1004  
 Fuchs, J. J., 455, 1004  
 Fudenberg, D., 646, 1004  
 FUF (generation program), 829  
 Fukunaga, A. S., 455, 1004  
 function, **242**  
     total, **246**  
 function approximation, **777**  
 function approximator, 778  
 function symbol, **246**, 248, 266  
 functional dependency, **694**, 709  
 functional programming, 314

- functional specification theory, 965
- functionalism, 55, **954**, 958, 965
- Fung, R., 530, *1004*
- Furey, T., 757, *993*
- Furnas, G. W., 858, *999*
- Furst, M., 410, *991*
- futility pruning, **181**
- fuzzy control, **527**
- fuzzy set, 526, 532
- G-set, 684**
- Gabor, Z. Z., 610
- Gaifman, H., 531, *1004*
- gain parameter, **928**
- gain ratio, **663**, 677
- Gale, W. A., 858, *995*
- Galileo, G., 1, 53, 706
- Gallaire, H., 312, *1004*
- Gallier, J. H., 235, 267, 311, *1000*, *1004*
- Gallo, G., 89, *1004*
- Gamba, A., 757, *1004*
- Gamberini, L., 757, *1004*
- gambling, 9, 588
- game, 10, **161**
- against nature, **434**
  - bridge, 179
  - card, 179
  - constant-sum, **635**
  - dice, 179
  - inspection, **632**
  - minesweeper, 235
  - multiplayer, 165–167
  - of chance, 175–180
  - Othello, 162, 182
  - partial information, **640**
  - playing, 161–162, 186
  - poker, 489
  - programs, 180–183
  - Qubic, 182
  - repeated, **638**
  - robot (with humans), 945
  - theory, 10, 613, **631**, 631–640
  - zero-sum, 192, **635**
- game show, 589
- Garcia, P., 830, *1026*
- Garding, J., 896, *1004*
- Gardner, M., 234, *1004*
- Garey, M. R., 983, *1004*
- Garfield, J. L., 29, *1036*
- GARI, 455
- Garrett, C., 117, *989*
- Gaschnig, J., 130, 135, 156, 157, 531, *1001*, *1004*
- Gasquet, A., 455, *1004*
- Gasser, R., 131, 182, *1004*
- Gat, E., 942, *1004*
- gate (logic), 263
- Gauss, C. F., 88
- Gauss, K. F., 156, 578, *1004*
- Gauss–Jordan elimination, **980**
- Gaussian distribution, **982**
- Gaussian error model, **561**
- Gaussian filter, **869**
- Gawande, A., 962, *1004*
- Gawron, J. M., 580, *1013*
- Ge, N., 829, *1005*
- Gee, A. H., 568, *998*
- Geffner, H., 411, 455, 457, *991*, *992*, *1008*
- Geiger, D., 529, 756, *1005*, *1008*
- Gelatt, C. D., 132, 157, *1014*
- Gelb, A., 579, *1005*
- Gelernter, H., 18, 314, *1005*
- Gelfond, M., 367, *1005*
- Gelman, A., 759, *1005*
- Geman, D., 530, *1005*
- Geman, S., 530, *1005*
- general ontology, 344
- General Problem Solver, 3, 409
- generality, 693
- generalization, **680**, 681
- generalization hierarchy, **686**
- generalized cylinder, **897**
- generalized event, **335**
- GENERATE-DESCRIPTION, 796
- generation (of states), **69**
- generative capacity, 793, 809
- generic robot language, **934**
- Genesereth, M. R., 55, 89, 197, 267, 268, 295, 300, 313, 314, 317, 945, *1005*, *1035*
- genetic algorithm, 22, **116**, 116–119, 132–133, 773
- genetic programming, **133**
- GENETIC-ALGORITHM, **119**
- Gentner, D., 708, *1005*
- Gentzen, G., 311, *1005*
- Geometry Theorem Prover, 18
- Georgeff, M. P., 458, *1005*
- Gerbault, F., 756, *1006*
- Gerevini, A., 410, 411, *1005*
- Germann, U., 856, *1005*
- Gershwin, G., 572, *1005*
- Gestalt school, 896
- Ghahramani, Z., 531, 579, 580, *1005*, *1012*, *1031*
- Ghallab, M., 409, 411, 455, *1005*
- Ghose, S., 131, *994*
- Giacomo, G. D., 365, *1005*
- GIB, 183
- Gibbs sampler, **518**, 530
- Gibson, J. J., 896, *1005*
- Gift of the Magi, 428
- Gilks, W. R., 530, 755, *1005*
- Gilmore, P. C., 311, *1005*
- Gini, M., 457, *1026*
- Ginsberg, M. L., 157, 158, 183, 313, 317, 458, 532, *998*, *1006*, *1035*
- Gittins, J. C., 773, 786, *1006*
- Giunchiglia, E., 457, *1002*
- Givan, R., 828, *1021*
- Glanc, A., 939, *1006*
- GLAUBER, 710
- Glavieux, A., 531, *990*
- global localization, **908**
- Global Positioning System (GPS), **904**
- differential, **904**
- GLOBAL-TRAIL-POINTER, 291
- Glover, F., 132, *1006*
- Glymour, C., 755, *1036*
- Go (game), 182
- Go-Moku, 182
- Go4++, 183
- GOAL, 799
- goal, 49, 59, 60, 87
- based agent, 49–50, 54
  - directed reasoning, 185, **220**
  - formulation, **60**, 431
  - inferential, **254**
  - predicate, **654**
  - serializable, **407**
  - test, **62**, 87, 139, 384, 799
- GOAL-TEST, 72, 77, 83, 102, 126, 128, 435
- GOALS, 399
- God, existence of, 487
- Gödel, K., 8, 295, 311
- Gödel, K., *1006*
- Goebel, J., 756, *1006*
- Goebel, R., 2, 27, 55, *1029*
- Goemate, 183
- GOFAI, *see* good old-fashioned AI
- gold, 197
- gold standard, **605**
- Gold, B., 580, *1006*
- Gold, E. M., 674, 830, *1006*
- Goldbach's conjecture, 710
- Goldberg, D. E., 133, *1028*
- Golden, K., 458, *1006*
- Goldman, N., 829, *1006*

- Goldman, R., 457, 531, 829, 995, 1006, 1040  
 Goldszmidt, M., 644, 756, 992, 1004  
 GOLEM, 709  
 Golgi, C., 10  
 GOLOG, 365, 934, 935  
 Gomard, C. K., 708, 1012  
 Gomes, C., 132, 1006  
 good and evil, 584  
 good old-fashioned AI, 951, 966  
 Good, I. J., 186, 528, 963, 1006  
 Good–Turing smoothing, 858  
 Gooday, J. M., 368, 996  
 Goodman, D., 27, 1006  
 Goodman, N., 365, 708, 1006, 1018  
 Goodnow, J. J., 674, 993  
 Gordon, M. J., 267, 1006  
 Gordon, N. J., 579, 1006  
 Gorry, G. A., 488, 1006  
 Gottlob, G., 158, 312, 313, 994, 1006  
 Gotts, N., 368, 996  
 GPS, *see* Global Positioning System  
 GPS, 3, 7, 18, 409  
 graceful degradation, 631  
 gradient descent, 115  
 Graham, S. L., 828, 1006  
 grammar, **792**, 984  
   attribute, **827**  
   augmented, 806–809  
   categorical, 828  
   context-free, **793**, 826, 827  
   probabilistic (PCFG), **836**, 836–840, 858  
   context-sensitive, **793**  
   definite clause (DCG), **806**, 827  
   dependency, 828  
   English, 795–798  
   formal, 795  
   induction, **824**, 830  
   learning, 824–834  
   lexical-functional (LFG), 828  
   phrase structure, 826  
   probabilistic, 834–840  
   recursively enumerable, 793  
   regular, 793  
   tree-adjointing (TAG), 828  
 grammatical formalism, 793  
 Grand Prix, 180  
 GRAPH-SEARCH, 82, 83, **83**, 87, 91, 94, 99, 101, 129, 134, 171, 460  
 graphical model, 492  
 GRAPHPLAN, 395, 398, 399, **399**, 401, 402, 407–412, 414, 457  
 Grassmann, H., 267, 1007  
 Grayson, C. J., 590, 1007  
 Greece, 233, 310, 363, 365  
 greedy search, **113**  
 Green, B., 828, 1007  
 Green, C., 19, 267, 309, 312, 315, 364, 409, 1007  
 Greenbaum, S., 828, 1030  
 Greenblatt, R. D., 187, 1007, 1024  
 Greenstreet, M. R., 315, 1014  
 Greiner, R., 708, 756, 995, 1007  
 Grice, H. P., 827, 1007  
 grid, rectangular, **81**  
 GRL, 942  
 Grosz, B., 709, 1032  
 Grosz, B. J., 641, 646, 824, 830, 1007, 1011  
 Grosz, b. J., 830, 1007  
 ground resolution theorem, **217**, 300  
 ground term, **249**, 273  
 grounding, **204**  
 Grove, A., 488, 608, 988  
 Grove, W., 949, 1007  
 Grumberg, O., 315, 411, 996  
 Grundy, W., 757, 993  
 GSAT, 235  
 Gu, J., 157, 235, 236, 1001, 1007, 1036  
 Guard, J., 309, 314, 1007  
 Guha, R. V., 363, 1018  
 Guibas, L. J., 941, 1007  
 GUS, 860  
 Gutfreund, H., 757, 987  
 Guy, R. K., 89, 990  
 Guyon, I., 758, 897, 1017  
 Guyon, I. M., 675, 759, 992  
 Gyorfı, L., 755, 1000  
 Gödel, K., 234, 311, 949  
  
 $h_{MAP}$  (MAP hypothesis), 714  
 $h_{ML}$  (ML hypothesis), 715  
 Haas, A., 366, 1007  
 HACKER, 410  
 Hacking, I., 488, 1007  
 Hähnel, D., 994  
 Haken, W., 156, 988  
 HAL 9000 computer, 529  
 Hald, A., 488, 1007  
 Hale, J., 829, 1005  
  
 Halpern, J. Y., 366, 488, 531, 988, 1002, 1007  
 Halpin, M. P., 158, 1006  
 halting problem, 275  
 ham sandwich, 819  
 Hamming distance, **735**  
 Hamming, R. W., 488, 1007  
 Hammond, K., 456, 1007  
 Hamscher, W., 55, 1007  
 hand–eye machine, **941**  
 Handschin, J. E., 579, 1007  
 handwriting recognition, **885**  
 handwritten digit recognition, 752–754, 885, 886  
 Hanks, S., 457, 1001, 1002  
 Hanna, F. K., 710, 1031  
 Hansard, **853**, 862  
 Hansen, E., 131, 457, 645, 1007, 1043  
 Hansen, P., 235, 1007  
 Hanski, I., 56, 1007  
 Hansson, O., 131, 135, 1007, 1008  
 happy graph, 661  
 Harada, D., 787, 1025  
 Haralick, R. M., 156, 1008  
 Hardin, G., 646, 1008  
 Harel, D., 312, 364, 995, 1008  
 Harman, G. H., 966, 1008  
 HARPY, 132, 580  
 Harrison, M. A., 828, 1006  
 Harsanyi, J., 645, 1008  
 Harshman, R. A., 858, 999  
 Hart, P. E., 130, 456, 457, 488, 531, 708, 755, 759, 1001, 1002, 1008  
 Hart, T. P., 187, 1008  
 Hartley, R., 896, 1008  
 Harvard, 592  
 hash table, 279  
 Haslum, P., 455, 1008  
 Hastie, T., 674, 756, 759, 1004, 1008  
 Haugeland, J., 2, 29, 951, 966, 1008  
 Haussler, D., 675, 709, 757, 758, 989, 991, 993, 1008  
 Havelund, K., 309, 1008  
 Hayes, P. J., 29, 364, 365, 367, 368, 965, 1003, 1008, 1021  
 Hayes-Roth, F., 580, 1001  
 head (of a clause), **218**, 287  
 hearer, **790**  
 HEARSAY-II, 580

- Hearst, M. A., 858, 861, *1026*, *1033*
- Heath Robinson, 14
- heavy-tailed distribution, **132**
- Heawood, P., 950
- Hebb, D. O., 16, 20, 785, *1008*
- Heckerman, D., 26, 28, 525, 529, 531, 532, 579, 609, 755, 756, 993, *1008*, *1010*, *1032*, *1036*
- hedonic calculus, 608
- Heim, I., 828, *1008*
- Heinz, E. A., 188, *1008*
- Held, M., 131, *1008*
- Helmert, M., 411, *1008*
- Helmholtz, H., 12, 895
- Hempel, C., 6
- Henderson, T. C., 146, 156, *1023*
- Hendler, J., 364, 412, 456, 987, 990, *1002*
- Hendrix, G. G., 352, *1009*
- Henrion, M., 56, 501, 530, 609, *1009*, *1010*, *1029*
- Henry, O., 428
- Henzinger, M., 847, 859, *1035*
- Henzinger, T. A., 55, *1009*
- Hephaistos, 939
- Herbrand base, **301**
- Herbrand universe, **301**, 311
- Herbrand's theorem, **301**, 311
- Herbrand, J., 234, 274, 301, 311, *1009*
- Herskovits, E., 756, 997
- heuristic, 129
  - admissible, **97**
  - composite, 108
  - degree, **144**, 156
  - domain-independent, 376
  - empty-delete-list, **387**
  - for planning, 386–387
  - function, **95**, 105–110, 376
  - least-constraining-value, **144**
  - Manhattan, **106**
  - min-conflicts, **150**
  - minimum remaining values, **143**, 156
  - search, *see* search, heuristic straight-line, 95
- Heuristic Programming Project (HPP), 23
- Hewitt, C., 312, 313, *1009*
- Hex, 189
- hexapod, **930**
- hidden Markov model, 26, 537, **549**, 549–551, 559, 578, 579, 731
- hidden unit, **739**
- hidden variable, **504**
- hierarchical decomposition, **422**
- hierarchical task network (HTN), **422**
- Hierholzer, C., 133, *1009*
- HIGH, 698
- higher-order logic, 244
- Hilbert, D., 8
- Hilgard, E. R., 785, *1009*
- hill climbing, **111**, 136
  - random-restart, **114**
- HILL-CLIMBING, **112**, 222
- hindsight, **542**
- Hingorani, S. L., 579, 997
- Hintikka, J., 366, *1009*
- Hinton, G. E., 25, 133, 757, 759, *1009*, *1031*
- HipNav, 28
- Hirsh, H., 708, *1009*
- Hirst, G., 829, *1009*
- hit list, **846**
- Hitachi, 430
- HITECH, 187
- HMM, 549, 559, 580
- Ho, Y.-C., 22, 757, 993
- Hoane, A. J., 181, 188, 994
- Hobbs, J. R., 369, 822, 823, 829, 860, *1009*
- Hobbs, T., 6
- Hockey, B. A., 828, *1000*
- Hodges, J. L., 756, *1003*
- Hoff, M. E., 20, 766, 785, *1041*
- Hoffman, J., 411, *1014*
- Hoffmann, J., 411, *1009*
- Hogan, N., 941, *1009*
- holistic context, 951
- Holland, J. H., 132, 133, *1009*, *1023*
- Holldobler, S., 365, *1009*
- Hollerbach, J. M., 941, *1002*
- Holloway, J., 187, *1024*
- Holzmann, G. J., 309, *1009*
- homeostatic, 757
- Homo sapiens*, 1
- homophone, **568**
- Hon, H., 580, *1010*
- Honavar, V., 830, *1027*
- Hong, J., 674, *1022*
- Hood, A., 10, *1009*
- Hopcroft, J., 941, 983, 987, *1033*
- Hopfield network, **758**
- Hopfield, J. J., 25, 758, *1009*
- Hopkins Beast, 940
- horizon, 865
- horizon effect, **174**
- Horn clause, **217**, 306, 701
- Horn form, 218, 234
- Horn, A., 234, *1009*
- Horn, B. K. P., 896, 897, *1010*
- Horning, J. J., *1010*
- Horowitz, E., 89, *1010*
- Horowitz, M., 309, *1026*
- Horrocks, J. C., 488, 998
- horse, 954
- Horswill, I., 934, 942, *1010*
- Horvitz, E. J., 26, 56, 529, 532, 609, 971, 972, *1010*, *1032*
- Hovel, D., 529, 532, *1010*
- Hovy, E., 829, *1010*
- Howard, R. A., 597, 608, 609, 644, *1010*, *1022*
- Howe, A., 409, *1005*
- HSCP, 457
- Hsu, F.-H., 181, 187, 188, 994, *1010*
- HTML, 849
- HTN, *see* hierarchical task network
- Huang, T., 579, *1010*
- Huang, X. D., 580, *1010*
- Hubble Space Telescope, 140, 150, 417, 456
- Hubel, D. H., 897, *1010*
- Huber, M., 940, 996
- Huddleston, R. D., 828, *1010*
- Huffman, D. A., 19, 882, 897, *1010*
- Huffman, S., 940, 996
- Hughes, B. D., 126, *1011*
- HUGIN, 529, 579
- Huhns, M. N., 56, *1011*
- human judgment, 523, 531, 592
- human performance, 1
- human preference, 617
- humanoid robot, **902**
- Hume, D., 6, *1011*
- Hungarian algorithm, 889
- Hunsberger, L., 641, 646, *1011*
- Hunt, E. B., 674, *1011*
- Hunter, L., 756, *1011*
- Hurwicz, L., 646, *1011*
- Hutchins, W. J., 860, *1011*
- Huttenlocher, D. P., 897, *1011*
- Huygens, C., 487, 645, *1011*
- Hwa, R., 859, *1011*
- Hwang, C. H., 364, 828, *1011*
- hybrid architecture, **932**
- hyperparameter, **721**

- hypertree width, 510  
hypothesis, **651**  
    approximately correct, 669  
    null, **662**  
    space, 679  
Hyun, S., 940, 999  
Hähnel, D., 940
- i.i.d. (independently and identically distributed), **713**
- IBM, 17, 18, 27, 181, 580, 855  
IBM 704 computer, 182  
ice cream, 465  
ID3, 709  
IDA\*, *see* search, iterative deepening A\*
- identification in the limit, **672**  
identity theory, 965  
IEEE, 364  
ignorance, 523, 525  
    practical, **464**  
    theoretical, **464**
- IJCAI (International Joint Conference on AI), 30  
ILP, *see* logic programming, inductive
- image, **865**  
    formation, 865–869, 894  
    processing, 894  
    retrieval, **885**  
    segmentation, 872–873, 885
- imaging sensor, **904**  
implementation level, **196**  
implication, **205**  
implicit effect, **332**  
importance sampling, 530  
incompleteness  
    theorem, 8, 302, 949  
inconsistent support, 397  
incorporation, **795**  
incremental learning, 683  
independence, **478**, 477–479, 481, 486  
    absolute, 478  
    conditional, 499  
    marginal, 478  
independent subproblems, **152**  
indeterminacy  
    bounded, **430**  
    unbounded, **431**  
indexical, **817**  
indexing, **279**, 278–279  
India, 16, 156, 363  
indicator variable, **743**
- indifference, principle of, 472, 487  
indivuation, **327**  
induction, **6**, 651  
    constructive, **700**  
    mathematical, 8  
inductive inference  
    pure, **651**  
inductive learning, *see* learning  
inductive logic programming (ILP), 709  
Indyk, P., 756, *1011*  
inequality constraints, **394**  
INFER, 307, **307**  
inference, **195**, 272  
    probabilistic, **475**, 475–477, 492  
    procedure, 262  
    rule, 211, 233  
inferential equivalence, **274**  
infinite horizon, **616**  
infinite horizon problems, 644  
influence diagram, *see* decision network, **1011**, **1017**
- information  
    extraction, 848–850, 858  
    gain, **660**, 662  
    gathering, **37**, 924  
    retrieval, 346, 840–848, 859  
    theory, **659**, 659–660, 674  
    value, **600**, 609  
information value, *see* value of information
- INFORMATION-GATHERING-AGENT, **603**  
informed search, *see* search, informed
- Ingerman, P. Z., 827, *1011*  
inheritance, 323, **323**, 350, 373  
    multiple, **350**  
INIT, 799  
initial state, **62**, 87, 162  
INITIAL-PLANNING-GRAPH, 399  
INITIAL-STATE, 72, 77, 83, 102, 112, 116, 435  
INITIALIZER, 803  
Inoue, K., 705, *1011*  
input resolution, **305**  
INSERT, 71, 72, 83  
INSERT-ALL, 71, 72, 83  
inside–outside algorithm, **839**  
insurance premium, **591**  
integrability, **881**  
integrity constraints, **218**
- intelligence, 1, 32  
intention (discourse), **792**  
intentional stance, 966  
intentional state, **955**  
intentionality, 953, 965, 966  
intercausal reasoning, *see* reasoning  
interleaving (search and action), **87**  
interlingua, **852**  
intermediate form, **814**  
internal state, **48**  
Internet, 26  
Internet search, 346  
Internet shopping, 344–349  
INTERPLAN, 410  
INTERPRET-INPUT, 47  
interpretation, **246**  
    pragmatic, **794**, 815–817  
    semantic, **794**  
interreflections, 881  
interval, 335, 338–339  
Intille, S., 579, *1011*  
intractability, **8**, 21, 30  
intrinsic property, **328**  
introspection, 3, 13  
inverse entailment, *see* entailment, inverse  
inverse game theory, 640  
inverse kinematics, **917**  
inverse link, **351**  
inverse method, 312  
inverse resolution, *see* resolution, inverse  
inverted pendulum, **780**  
Inza, I., 133, 136, *1017*  
IPEM, 458  
IPL, 17  
IPP, 411  
IQ test, 19, 30  
irrationality, 2, 587, 608  
IS-A links, 366  
Isard, M., 568, 579, *1011*  
ISIS, 455  
Israel, D., 860, *1009*  
Italian, 851  
Italy, 487  
ITEP chess program, 187  
iterative deepening, *see* search, iterative deepening  
iterative expansion, **131**  
ITERATIVE-DEEPENING-SEARCH, **78**, 107  
ITOU, 709



- IXTET, 411
- Jaakkola, T., 530, 531, 580, 787, 1011, 1012, 1033
- Jackel, L., 758, 897, 1017
- Jacquard loom, 14
- Jacquard, J., 14
- Jaffar, J., 313, 1011
- Jaguar, 455
- Jahr, M., 856, 1005
- James, H., 13
- James, W., 13
- janitorial science, 35
- Japan, 24
- Jáskowski, S., 1011
- Jaumard, B., 235, 1007
- Jeavons, P., 158, 1027
- Jefferson, G., 952, 1011
- Jeffrey, R. C., 315, 487, 608, 992, 1011
- Jeffreys, H., 858, 1011
- Jelinek, F., 580, 858, 860, 993, 1011, 1012
- Jenkin, M., 942, 1001
- Jennings, H. S., 13, 1012
- Jensen, F., 529, 987
- Jensen, F. V., 529, 532, 987, 1012
- Jespersen, O., 828, 1012
- Jevons, W. S., 234, 709, 1012
- Jimenez, P., 457, 1012
- Joachims, T., 757, 860, 1012
- job shop scheduling, 417, **417**
- Johnson, C. R., 56, 993
- Johnson, D. S., 983, 1004
- Johnson, M., 829, 830, 833, 992, 1001, 1017
- Johnson, W. W., 88, 1012
- Johnson-Laird, P. N., 29, 1012
- Johnston, M. D., 132, 157, 456, 1012, 1023
- join tree, **510**
- joint action, **451**
- joint intention, **454**
- joint plan, **450**
- joint probability distribution, **469**  
full, **469**, 486, 492, 495–498
- Jones, M., 897, 1039
- Jones, N. D., 708, 1012
- Jones, R., 312, 1012
- Jonsson, A., 27, 55, 455, 1012
- Jordan, M. I., 530–532, 579, 580, 645, 758, 783, 787, 858, 991, 1005, 1011, 1012, 1024, 1025, 1033, 1036
- Joshi, A. K., 828, 830, 1007, 1012, 1033
- Joskowicz, L., 368, 1032
- Joslin, D., 410, 1012
- Jouannaud, J.-P., 314, 1012
- Joule, J., 706
- JTMS, *see* truth maintenance system, justification-based
- Juang, B.-H., 580, 1030
- Judd, J. S., 758, 1012
- Juels, A., 133, 1012
- Julesz, B., 896, 1012
- junction type, 883
- Jurafsky, D., 29, 580, 829, 830, 861, 1012
- justification, **357**
- Jáskowski, S., 311
- k*-DL (decision list), 671
- k*-DT (decision tree), 671
- Kadane, J. B., 645, 1012
- Kaelbling, L. P., 236, 644, 645, 788, 942, 994, 999, 1013
- Kager, R., 829, 1013
- Kahneman, D., 2, 498, 592, 1013, 1038
- Kaindl, H., 131, 1013
- Kalah, 187
- Kalman filter, 537, **551**, 551–559, 578, 579  
switching, **558**
- Kalman gain matrix, **556**
- Kalman, R., 551, 578, 1013
- Kambhampati, S., 410, 411, 455, 456, 1000, 1013, 1025
- Kameya, Y., 531, 1033
- Kameyama, M., 860, 1009
- Kan, A., 88, 421, 1017
- Kanade, T., 28, 876, 896, 1000, 1038
- Kanal, L. N., 131, 532, 1013, 1016, 1025
- Kanazawa, K., 579, 645, 756, 940, 991, 999, 1013, 1032
- Kanefsky, B., 9, 157, 235, 995
- Kanou, H., 267, 313, 996
- Kant, E., 312, 993
- Kaplan, D., 366, 1013
- Kaplan, R., 805, 828, 860, 991, 1021
- Karmarkar, N., 132, 1013
- Karmiloff-Smith, A., 830, 1001
- Karp, R. M., 9, 88, 131, 983, 1008, 1013
- Karypis, G., 846, 1036
- Kasami, T., 828, 1013
- Kasparov, G., 27, 180, 181, 1013
- Kasper, R. T., 829, 989, 1013
- Kassirer, J. P., 488, 1006
- Kaufmann, M., 315, 1013
- Kautz, D., 456, 999
- Kautz, H., 132, 235, 411, 1006, 1013, 1034
- Kavraki, L., 941, 1013
- Kay, A. R., 11, 1026
- Kay, M., 580, 851, 860, 991, 1013
- Kaye, R., 235, 1013
- KB, *see* knowledge base
- KB-AGENT, **196**
- KBIL, *see* inductive learning, knowledge-based
- Keane, M. A., 133, 1016
- Kearns, M., 645, 675, 786, 1013
- Kedar-Cabelli, S., 708, 1023
- Keene, R., 27, 1006
- Keeney, R. L., 592, 597, 608, 1014
- Kehler, A., 829, 1014
- Keil, F. C., 3, 29, 966, 1041
- Keim, G. A., 28, 158, 1019
- Keller, R., 708, 1023
- Kelly, J., 756, 995
- Kemp, M., 895, 1014
- Kempe, A. B., 950
- Kenley, C. R., 529, 1034
- Kent, C., 341
- Kepler, J., 895
- Kern, C., 315, 1014
- kernel function, **735**, 751  
polynomial, **751**
- kernel machine, **749**, 749–752
- kernel model, **735**, 735–736
- kernelization, **752**
- Kernighan, B. W., 88, 1019
- Keynes, J. M., 487, 1014
- Khatib, O., 941, 1014
- Khorsand, A., 131, 1013
- kidnapping problem, **908**
- KIDS, 315
- Kietz, J.-U., 709, 1014
- Kilimanjaro, 790
- Kim, J. H., 529, 1014
- kinematic state, **904**
- kinematics, 917
- King, R. D., 706, 707, 1014, 1036
- kinship domain, 254–256
- Kirby, M., 897, 1035
- Kirchner, C., 314, 1012
- Kirkpatrick, S., 132, 157, 235, 1014

- Kirman, J., 644, 999  
 Kirousis, L. M., 897, 1014  
 Kitano, H., 940, 1014  
 Kjaerulff, U., 579, 1014  
 KL-ONE, 367  
 Kleer, J. D., 55, 1007  
 Klein, D., 859, 1014  
 Kleinberg, J. M., 859, 1014  
 Klempner, G., 532, 1024  
 Knight, K., 2, 856, 860–862, 1005, 1014, 1030, 1042  
 Knoblock, C. A., 88, 409, 456, 994, 1005, 1014  
 knowing that, 343  
 knowing what, 343  
 knowing whether, 343  
 knowledge  
   acquisition, 23, **261**  
   and action, 7, 344  
   background, **196**  
   base, **195**, 232, 268  
   based system, 22–24, 776  
   commonsense, 19  
   diagnostic, 480  
   effect, **344**  
   engineering, **260**, 260–266, 320, 496  
     for decision-theoretic systems, 605  
   level, **196**, 233  
   map, *see* Bayesian network  
   model-based, 481  
   precondition, **344**  
   prior, 37  
   proposition, **230**  
   representation, **3**, 16, 19, 24, 240–244, 320–374  
     analogical, 268  
     language, **195**, 232, 240  
   source, 580  
 knowledge representation  
   uncertain, 492–495  
 Knuth, D. E., 187, 314, 827, 941, 983, 1007, 1014  
 Koditschek, D., 941, 1014  
 Koehler, J., 411, 1014  
 Koenderink, J. J., 896, 897, 1015  
 Koenig, S., 89, 134, 644, 940, 1015, 1035  
 Kohn, W., 314, 1015  
 Koller, D., 488, 531, 579, 580, 646, 756, 860, 940, 988, 991, 992, 1010, 1013, 1015, 1023, 1032  
 Kolmogorov complexity, **675**  
 Kolmogorov's axioms, **471**  
 Kolmogorov, A. N., 487, 578, 675, 1015  
 Kolodner, J., 24, 708, 829, 1015  
 Kondrak, G., 157, 158, 1015  
 Konolige, K., 366, 367, 458, 942, 993, 1015  
 Koopmans, T. C., 644, 1015  
 Koren., Y., 941, 992  
 Korf, R. E., 89, 131, 134, 188, 410, 1015, 1016, 1028  
 Kortenkamp, D., 940, 942, 996, 1016  
 Koss, F., 940, 996  
 Kotok, A., 187, 1016  
 Koutsoupias, E., 132, 235, 1016  
 Kowalski form, 295  
 Kowalski, R., 267, 289, 295, 313, 314, 364, 365, 367, 1016, 1032, 1039  
 Koza, J. R., 133, 1016  
 KPML (generation program), 829  
 Kramnik, V., 181  
 Kratzer, A., 828, 1008  
 Kraus, S., 458, 1016  
 Kraus, W. F., 133, 1019  
 Krauss, P., 531, 1034  
 Kripke, S. A., 366, 1016  
 Krishnan, T., 756, 1022  
 Krovetz, R., 859, 1016  
 Kruppa, E., 895, 1016  
 KRYPTON, 367  
 Ktesibios, 15  
 Kucera, H., 859, 1003  
 Kuehner, D., 313, 1016  
 Kuhn, H. W., 646, 1016  
 Kuhns, J.-L., 859, 1020  
 Kuijpers, C., 133, 136, 1017  
 Kuipers, B. J., 940, 1016  
 Kukich, K., 859, 1016  
 Kulikowski, C. A., 675, 1040  
 Kumar, P. R., 55, 1016  
 Kumar, V., 131, 158, 846, 1013, 1016, 1025, 1036  
 Kuniyoshi, Y., 940, 1014  
 Kuper, G. M., 313, 1016  
 Kurzweil, R., 2, 963, 1016  
 Kyburg, H. E., 488, 1016, 1017  
 label (in plans), **436**, 460  
 Ladkin, P., 365, 1017  
 Ladner, R. E., 364, 1003  
 Lafferty, J., 859, 1017  
 Laguna, M., 132, 1006  
 Laird, J. E., 27, 286, 312, 456, 708, 971, 1012, 1017  
 Laird, N., 579, 756, 1000  
 Laird, P., 132, 157, 1023  
 Lakemeyer, G., 940, 994  
 Lakoff, G., 363, 829, 1017  
 Lamarck, J. B., 120, 1017  
 Lambertian surface, 868, 880, 898  
 Landauer, T. K., 858, 999  
 landmark, **909**  
 Langley, P., 710, 1017  
 Langlotz, C. P., 26, 1010  
 Langton, C., 133, 1017  
 language, **790**, 791–792  
   abhors synonymy, 844  
   as action, 827  
   analysis, **794**  
   formal, **791**  
   generation, 792  
   model, 568, 841, **854**, 856  
     in disambiguation, 821  
   natural, 5, 241, **791**  
   perception, **794**  
   processing, 16, 790–862  
   situated, 826  
   and thought, 243  
   translation, 21, 694, 850–857  
   understanding, 19, 23  
 Lansky, A. L., 458, 1005  
 Laplace, P., 9, 472, 487, 523, 1017  
 Lappin, S., 829, 1017  
 Lari, K., 859, 1017  
 Larkey, P. D., 645, 1012  
 Larrañaga, P., 133, 136  
 Larrañaga, P., 1017  
 Larsen, B., 529, 1017  
 Larson, G., 687  
 Laruelle, H., 411, 455, 1005  
 Lassez, J.-L., 313, 1011  
 Lassila, O., 364, 990  
 latent Dirichlet allocation, 858  
 latent semantic indexing, 858  
 latent variable, **724**  
 Latombe, J.-C., 455, 941, 1000, 1013, 1017, 1043  
 lattice theory, 309  
 Laugherty, K., 828, 1007  
 Lauritzen, S., 529, 532, 608, 755, 756, 1017, 1025, 1036  
 Lavrač, N., 674, 705, 709  
 Lavrač, N., 1017, 1022  
 LAWALY, 456  
 Lawler, E. L., 88, 131, 421, 1017  
 laws of thought, 4  
 layers, **739**

- Lazanas, A., 941, *1017*  
laziness, **463**  
La Mettrie, J. O., 961, 965, *1017*  
La Mura, P., 608, *1017*  
LCF, 267  
Leacock, C., 949, *994*  
leaf node, **70**  
leak node, **500**  
LEANTAP, 315  
Leaper, D. J., 488, *998*  
leaping to conclusions, 687  
learning, **37**, 54, 197, 649, 949, 952  
    action-value, 764  
    active, **764**  
    assessing performance, 660–661  
    Bayesian, **713**, 713–714, *754*  
    Bayesian network, 722–724  
    blocks-world, 19  
    cart-pole problem, 780  
    checkers, 18  
    computational theory, 137, 668  
    curve, **660**  
    decision lists, 670–671  
    decision trees, 653–659  
    determinations, 695  
    element, **52**  
    ensemble, 664–668  
    explanation-based, 690–694  
    game-playing, 780  
    grammar, 824–834  
    heuristics, 109–110  
    hidden Markov model, 731  
    hidden variables, 730  
    with hidden variables, 727  
    incremental, 683, 687  
    inductive, 651–653, 673  
    knowledge-based, **689**, 698, 707  
    instance-based, **733**, 733  
    knowledge in, 686–690  
    linearly separable functions, 741–743  
    logical, 678–686  
    MAP, 714–715  
    maximum likelihood, 716–720  
    naive Bayes, 718  
    neural network, 748  
    new predicates, 700, 706  
    noise, 661–663  
    nonparametric, 733  
    online, 778  
    PAC, 668, 675, 694  
    parameter, **716**, 720–722, 733  
    passive, **764**  
    *Q*, 776, 782  
    rate, 769, 776  
    reinforcement, 763–789  
    relevance-based, 694–697  
    restaurant problem, 654  
    statistical, 712–715  
    supervised, 885  
    temporal difference, 767–771  
    to search, 104–105  
    top-down, 701–703  
    unsupervised, **650**, 725–727  
    utility functions, 764  
Leass, H. J., 829, *1017*  
least commitment, **387**, 683  
least-constraining-value heuristic, 144  
LeCun, Y., 758, 897, *1017*  
Lederberg, J., 23, 363, *1002*, *1019*  
Lee, K.-F., 580, *1039*  
Lee, R. C.-T., 315, *995*  
Lee, T.-M., 11, *1026*  
Leech, G., 828, 859, *1018*, *1030*  
Lefkovitz, D., 189, *1018*  
left-corner parser, **802**  
left-recursive rules, 799  
legal reasoning, 31  
LEGAL-ACTIONS, 89  
Lehmann, D., 458, *1016*  
Leibniz, G. W., 6, 119, 234, 487, 645  
Leimer, H., 529, *1017*  
Leipzig, 12  
Leiserson, C. E., 983, *997*  
Lemmer, J. F., 532, *1013*  
Lenat, D. B., 363, 372, 710, *998*, *1018*  
LENGTH, 119, 399, 643, 801, 977  
lens, **866**  
lens system, 866–867  
Lenstra, J. K., 88, 421, 456, *1017*, *1039*  
Lenzerini, M., 367, *994*  
Leonard, H. S., 365, *1018*  
Leonard, J. J., 940, *1018*  
Leone, N., 158, 313, 367, *1001*, *1006*  
Lesh, N., 457, *1002*  
Leśniewski, S., *1018*  
Lespérance, Y., 365, 934  
Lespérance, Y., *1005*, *1018*  
Lesser, V. R., 458, 580, *1001*  
Lettvin, J. Y., 893, *1018*  
Letz, R., 314, *1018*  
level (in planning graphs), **395**  
leveled off (planning graph), **397**  
Levesque, H. J., 132, 235, 365, 367, 369, 458, 934, *992*, *996*, *1005*, *1018*, *1034*  
Levitt, G. M., 186, *1018*  
Levitt, T. S., 940, *1016*  
Levy, D. N. L., 189, *1018*  
Lewis, D. D., 860, *1018*  
Lewis, D. K., 55, 828, 965, *1018*  
Lewis, R. A., 707, *1014*  
LEX, 674, 686  
lexicalized PCFG, 837, 859  
lexicon, **795**, 828  
Leśniewski, S., 365  
Le Cun, Y., 758, *1017*  
LFG, *see* grammar, lexical-functional  
Li, C. M., 235, *1018*  
Li, M., 675, *1018*  
liability, 962  
Lieberman, L., 896, *989*  
LIFE, 314  
life insurance, 592  
LIFO queue, 75  
Lifschitz, V., 367, 368, 409, *1005*, *1018*  
lifting, **276**, 275–279  
lifting lemma, 300, **303**  
light, 867–868  
Lighthill report, 22, 24  
Lighthill, J., 22, *1018*  
likelihood, 541  
likelihood weighting, **514**, 528, 530, 565  
LIKELIHOOD-WEIGHTING, 514, **515**  
limb (in a scene), **882**  
limited rationality, **5**  
Lin, D., 757, 993  
Lin, F., 365, 934, *1018*  
Lin, S., 88, 130, *1018*, *1019*  
Linden, T. A., 457, *1019*  
Lindsay, R. K., 363, 860, *1019*  
line labeling, **882**  
line search, **121**  
linear  
    algebra, 979–981  
    constraint, **139**  
    Gaussian, **502**, 529, 552  
    input resolution, 308  
    interpolation smoothing, **835**  
    programming, 132, 638  
    regression, **720**  
    resolution, **305**, 705  
    separability, **741**, 755

- separator, **740**, 749  
 optimal, 749  
 linearization, **388**, **912**  
 Linguistic String Project, 828  
 linguistics, 16, 29  
 computational, 16  
 linkage constraints, **917**  
 LINKS, 424  
 Linnaeus, 363  
 LINUS, 705  
 Lipkis, T. A., 367, *1033*  
 liquid event, *see* event, liquid  
 liquids, 368  
 Lisp, **18**, 248, 343, 670, 934  
 LIST?, 278  
 lists, **257**  
 literal (sentence), **204**  
 Littman, M. L., 28, 133, 158, 457,  
 645, 646, 788, 987, 994,  
*1013*, *1019*, *1020*  
 Liu, J. S., 579, *1019*  
 Liu, W., 756, 995  
 lizard toasting, 688  
 Lloyd, E. K., 156, 991  
 Lloyd, J. W., 313, *1019*  
 local beam search, **115**  
 local search, 110, 223  
 locality, 230, **524**  
 localization, **908**  
 Markov, **940**  
 locally structured system, **496**  
 Locke, J., 6, 827, *1019*  
 Locke, W. N., 860, *1019*  
 locking, **308**  
 Lodge, D., 974, *1019*  
 Loebner prize, 30  
 log likelihood, **716**  
 Logemann, G., 221, 235, 998  
 logic, **4**, 7, 200–204  
 atoms, 248  
 default, **359**  
 dynamic, 364  
 equality, 253  
 first-order, **240**, 240–271  
 inference, 272–275  
 semantics, 245  
 syntax, 245  
 fuzzy, 464, 524, 526–527, 532  
 higher-order, **244**  
 inductive, 472, 488, **488**  
 interpretations, 246–247  
 modal, **342**, 366  
 models, 245–246  
 nonmonotonic, **358**  
 notation, 4  
 propositional, 195, 204–211,  
 241  
 inference, 208–223  
 semantics, 206–207  
 syntax, 204–206  
 quantifier, 249–252  
 resolution, 213–217  
 sampling, 530  
 temporal, **244**, 364  
 terms, 248  
 variable, 290  
 logic programming, 267,  
 289–295, 313  
 constraint, **294**, 294–295, 313  
 inductive (ILP), **689**, 697–703,  
 707  
 tabled, 294, **294**, 313  
 Logic Theorist, 17, 234  
 logic Theorist, 17  
 logical  
 agent, 195  
 connective, 16, 204, 249  
 inference, 202, 272–319  
 omniscience, **343**  
 piano, 234  
 positivism, **6**  
 reasoning, 211–224  
 logicism, **4**  
 Logistello, 182  
 logistic function, **738**  
 logit distribution, **503**, 530  
 Lohn, J. D., 133, *1019*  
 London, 14  
 long compound names, 264  
 Long, D., 411, *1003*  
 long-distance dependencies, 817  
 long-term memory, 286  
 Longuet-Higgins, H. C., *1019*  
 Look ma, no hands, 18  
 LOOKUP, 45  
 lookup table, 748  
 loopy propagation, 531  
 Lotem, A., 411, *1039*  
 lottery, **586**, 610  
 standard, **593**  
 love, 949  
 Lovejoy, W. S., 645, *1019*  
 Lovelace, A., 14  
 Loveland, D., 221, 235, 313–315,  
 998, *1019*  
 Lowe, D. G., 897, *1019*  
 Löwenheim, L., 267  
 Löwenheim, L., *1019*  
 Lowerre, B. T., 132, 580, *1019*  
 Lowrance, J. D., 458, 532, *1032*,  
*1041*  
 Lowry, M., 309, *1008*  
 Lowry, M. R., 315, *1019*  
 Loyd, S., 88, *1019*  
 Lozano-Perez, T., 941, 993, *1019*,  
*1040*  
 LPG, 411  
 LRTA\*, **127**, 134  
 LRTA\*-AGENT, 128, **128**  
 LRTA\*-COST, 128, **128**  
 LSTD, 786  
 LT, 17  
 Luby, M., 114, 530, 580, 997,  
*1019*  
 Lucas, J. R., 949, 950, *1019*  
 Lucas, P., 532, 605, *1019*  
 Luce, D. R., 10, 646, *1019*  
 Luger, G. F., 30, *1019*  
 Lugosi, G., 755, *1000*  
 Lull, R., 6  
 LUNAR, 828  
 Luong, Q.-T., 896, *1002*  
 Lusk, E., 315, *1042*  
 Löwenheim, L., 267  
 Mézard, M., 758  
 MA\*, *see* search,  
 memory-bounded A\*  
 MAC, 146, 149, 157  
 MacHack 6, 187  
 machine evolution, **22**  
 machine learning, **3**, 5  
 machine translation, *see* language,  
 translation, 31, 850–857  
 statistical, 853–857  
 Machover, M., 267, 990  
 MacKay, D. J. C., 531, 758, *1020*,  
*1021*  
 Mackworth, A. K., 2, 27, 55, 146,  
 156, 158, 897, *1004*, *1020*,  
*1029*  
 macrop (macro operator), **456**  
 Madigan, C. F., 235, *1024*  
 magic set, **287**  
 Mahalanobis distance, **735**  
 Mahanti, A., 134, *1020*  
 Mahaviracarya, 487  
 Maier, D., 157, 313, 989, 990  
 Majercik, S. M., 457, *1020*  
 majority function, **655**, 740  
 MAJORITY-VALUE, 658  
 MAKE-ACTION-QUERY, 196  
 MAKE-ACTION-SENTENCE, 196

- MAKE-NODE, 72, 77, 83, 102, 112, 116  
 MAKE-PERCEPT-SENTENCE, 196  
 MAKE-QUEUE, 71  
 Makov, U. E., 756, 1038  
 Mali, A. D., 456, 1013  
 Malik, J., 579, 758, 873, 875, 880, 896, 897, 990, 999, 1010, 1020, 1034  
 Malik, S., 235, 1024  
 Mandela, N., 885  
 Manhattan, *see* heuristic, Manhattan  
 manipulator, **901**  
 Mann, W. C., 829, 1020  
 Manna, Z., 267, 314, 315, 1020  
 Manning, C. D., 859, 861, 1014, 1020  
 Manolios, P., 315, 1013  
 Mansour, Y., 645, 787, 1013, 1037  
 MAP (maximum a posteriori), 714  
 Marais, H., 847, 859, 1035  
 Marbach, P., 787, 1020  
 Marcinkiewicz, M. A., 859, 1020  
 Marcu, D., 856, 1005  
 Marcus, M. P., 859, 1020  
 marginalization, **475**  
 Marin, J., 674, 1011  
 Markov  
   assumption, **539**, 578  
   blanket, **499**, 536  
   chain, **517**, 539  
   chain Monte Carlo, **516**, 516–519, 528, 530, 565  
   decision process  
     partially observable (POMDP), **626**, 625–628, 645  
   decision process (MDP), 10, **615**, 643, 645, 763  
   process, **539**  
   property, 547, 578, 614  
 Markov, A. A., 578, 858, 1020  
 Maron, M. E., 488, 859, 1020  
 Marr, D., 897, 1020  
 Marriott, K., 157, 158, 314, 1020  
 Marsland, A. T., 189, 1020  
 Martelli, A., 131, 314, 1020  
 Marthi, B., 580, 1020  
 Martin, J. H., 29, 580, 829, 830, 861, 1012, 1020  
 Martin, N., 312, 993  
 Martin, P., 456, 829, 1009, 1020  
 Maslov, S. Y., 312, 1020, 1021  
 Mason, M., 89, 456, 941, 942, 1001, 1019, 1021  
 mass noun, **328**  
 mass spectrometer, 22  
 Mataric, M. J., 942, 1021  
 Mateis, C., 367, 1001  
 material advantage, 173  
 material value, **172**  
 materialism, 6, **954**, 965  
   eliminative, **965**  
 Mates, B., 234, 1021  
 mathematical induction schema, 302  
 mathematics, 7–9, 18, 29  
 Matheson, J. E., 597, 608, 1010, 1022  
 matrix, **980**  
 Maturana, H. R., 893, 1018  
 Mauchly, J., 14  
 MAX, 166, 170  
 max norm, **622**  
 MAX-VALUE, 166, **166**, 170, **170**  
 maximin, **635**  
 maximin equilibrium, **636**  
 maximum a posteriori, **714**  
 maximum expected utility, **585**, 588, 607  
 maximum likelihood, **715**, 716–720  
 Maxwell, J., 523, 805, 828, 895, 1021  
 Mayer, A., 131, 135, 1007, 1008  
 Mayne, D. Q., 579, 1007  
 Mazumder, P., 88, 1034  
 McAllester, D. A., 25, 188, 308, 368, 410, 411, 787, 828, 1013, 1021, 1037  
 MCC, 24  
 McCarthy, J., 17, 18, 55, 233, 267, 311, 341, 364, 367, 959, 1021  
 McCartney, R. D., 315, 1019  
 McCawley, J. D., 828, 1021  
 McClelland, J. L., 25, 1032  
 McConnell-Ginet, S., 29, 828, 995  
 McCulloch, W. S., 15, 16, 20, 236, 737, 738, 757, 893, 1018, 1021  
 McCune, W., 306, 309, 314, 1021  
 McDermott, D., 2, 312, 350, 367, 409, 411, 456, 457, 995, 1005, 1021  
 McDermott, J., 24, 286, 312, 1021  
 McDonald, R., 242  
 McEliece, R. J., 531, 1021  
 McGill, M. J., 755, 859, 1033  
 McGregor, J. J., 156, 1022  
 McGuinness, D. L., 353, 367, 992  
 McKeown, K., 829, 1022  
 McLachlan, G. J., 756, 1022  
 MCMC, *see* Markov chain Monte Carlo  
 MCMC-ASK, **517**, 518  
 McMillan, K. L., 411, 1022  
 McNealy, S., 962  
 MDL, *see* minimum description length  
 MDP, *see* Markov decision process  
 measure, **325**  
 measurement, 325–327  
 mechanism, **641**  
 mechanism design, **640**, 640–643  
 medical diagnosis, 23, 28, 488, 530  
 Meehan, J., 312, 995  
 Meehl, P., 949, 1007, 1022  
 Meet (interval relation), 339  
 Megarian school, 234, 364  
 megavariable, 549  
 Meggido, N., 646, 1015  
 Melćuk, I. A., 1022  
 Mellish, C. S., 314, 996  
 Melćuk, I. A., 828  
 memoization, 293, 310, **690**  
 memory, 243  
 memory requirements, 74, 78  
 memory-based translation, **852**  
 MEMS, 969  
 Mendel, G., 120, 1022  
 meningitis, 480–490  
 mental model, in disambiguation, 821  
 mental objects, 341–344  
 mental states, 954  
 Mercer, J., 751, 1022  
 Mercer, R. L., 854, 858, 860, 993, 1012  
 mereology, **365**  
 Merkhofer, M. M., 608, 1022  
 MERLIN, 366  
 Merlin, P. M., 313, 995  
 Meta-DENDRAL, 674, 686  
 metadata, **844**  
 metalevel state space, **104**  
 metaphor, **819**, 829  
 metaphysics, 6  
 metareasoning, **184**  
   decision-theoretic, **971**

- metarule, **295**  
 metonymy, **819**, 829  
 Metropolis algorithm, 132, 530  
 Metropolis, N., 132, 530, *1022*  
 MEU, *see* maximum expected utility  
 Mézard, M., *1022*  
 MGONZ, 948  
 MGSS\*, 188  
 MGU (most general unifier), 277, 279, 303, 316  
 Michalski, R. S., 674, 675, *1022*  
 Michaylov, S., 313, *1011*  
 Michel, S., 861, *1022*  
 Michie, D., 29, 68, 130, 131, 189, 456, 675, 780, 785, 941, *1000*, *1022*  
 MICRO-PLANNER, 312  
 micromort, **593**, 608, 611  
 Microsoft, 529, 532, 848  
 microworld, 19, **19**, 21  
 Middleton, B., 501, *1029*  
 Milgrom, P., 646, *1022*  
 Mill, J. S., 7, 674, 680, *1022*  
 Miller, A. C., 608, *1022*  
 Miller, D., 455, 999  
 million queens problem, 150  
 Millstein, T., 411, *1002*  
 Milner, A. J., 267, *1006*  
 MIN, 166, 170  
 MIN-CONFLICTS, 151, **151**, 223  
 min-conflicts, *see* heuristic, min-conflicts, 157  
 MIN-VALUE, 166, **166**, 170, **170**  
 mind, 2, 964  
     dualistic view, 965  
     and mysticism, 12  
     philosophy of, 964, 966  
     as physical system, 6  
     theory of, 3  
 mind-body problem, **954**, 954–956  
 minesweeper, 235, 238  
 minimal model, 355, **359**  
 MINIMAL-CONSISTENT-DET, 696, **696**  
 MINIMAX, 170  
 minimax, *see* search, minimax  
 minimax algorithm, 165, 434, 635  
 minimax decision, **165**  
 MINIMAX-DECISION, **166**, 171  
 minimum description length, **675**, **715**  
 minimum remaining values, 143  
 minimum slack, **421**  
 minimum spanning tree, 131, 135  
 Minker, J., 312, *1004*  
 Minsky, M. L., 17, 19, 22, 24, 29, 366, 529, 757, *1021*, *1022*  
 Minton, S., 132, 157, 456, 708, 994, *1023*  
 missing attribute values, **663**  
 missionaries and cannibals, 88, **90**, 363  
 MIT, 17–19, 941  
 Mitchell, D., 132, 235, 996, *1034*  
 Mitchell, M., 133, *1023*  
 Mitchell, T. M., 56, 674, 675, 686, 708, 971, 993, *1022*, *1023*  
 Mitkov, R., 829, *1023*  
 mixed strategy, **632**  
 mixing time, **544**  
 mixture  
     distribution, **725**  
     of Gaussians, 571, **726**, 728, 729  
 ML, *see* maximum likelihood  
 modal logic, 366  
 modal operator, **342**, 364  
 model, 48, **201**, 266, 519  
     causal, 498  
     kernel, **735**  
     language, 856  
     (in representation), 13  
     sensor, 549, 554, 578  
     theory, 267  
     transition, **614**  
 model checking, **202**  
 model-based reasoning, **260**  
 Modus Ponens, **211**, 234, 305, 310, 316, 342  
     Generalized, **276**, 276  
 Moffat, A., 859, *1041*  
 Mohr, R., 146, 156, *1023*  
 Mohri, M., 793, *1023*  
 Moisl, H., 830, 997  
 monism, **954**  
 monitoring, **541**  
 monkey and bananas, 90, 412  
 monotone condition, 130  
 monotonicity, **212**, 358  
 monotonicity (of a heuristic), **99**  
 monotonicity (of preferences), **588**  
 Montague, P. R., 786, *1023*, *1033*  
 Montague, R., 365, 366, 828, *1013*, *1023*  
 Montanari, U., 131, 156, 314, 991, *1020*, *1023*  
 Monte Carlo algorithm, **511**  
 Monte Carlo localization, **910**  
 Montemerlo, M., 940, *1023*  
 Mooney, R., 708, 830, *1000*, *1023*  
 Mooney, R. J., 826, 830, *1023*, *1042*  
 Moore's Law, 963  
 Moore, A. W., 132, 786, 788, 992, *1013*, *1023*  
 Moore, E. F., 89, *1023*  
 Moore, J. D., 456, 829, 989, *1042*  
 Moore, J. S., 309, 314, 315, 366, 992, *1013*, *1023*  
 Moore, R. C., 366, 369, *1009*, *1023*  
 Moravec, H. P., 940, 956, 963, *1023*, *1024*  
 More, T., 17  
 Morgan, J., 458, 827, 996  
 Morgan, N., 580, *1006*  
 Morgenstern, L., 366, 368, *1024*  
 Morgenstern, O., 9, 186, 608, *1039*  
 Moricz, M., 847, 859, *1035*  
 Morjaria, M. A., 532, *1024*  
 morphing, 889  
 Morris, P., 27, 55, 455, *1012*  
 Morrison, E., 186, *1024*  
 Morrison, P., 186, *1024*  
 Moses, Y., 366, *1002*  
 Moskewicz, M. W., 235, *1024*  
 most constrained variable, 284  
 most general unifier (MGU), 277, 279, 303, 316  
 most likely explanation, 578  
 most likely state, **923**  
 Mosteller, F., 861, *1024*  
 Mostow, J., 131, 135, *1024*  
 motion, 874–876  
     compliant, 924  
     guarded, 924  
 motion model, **908**  
 motion parallax, 877, 895  
 Motzkin, T. S., 757, *1024*  
 Moussouris, J., 187, *1024*  
 Moutarlier, P., 940, *1024*  
 movies  
     2001: A Space Odyssey, 529  
     A.I., 964  
     Attack of the Cat People, 819  
     Take the Money and Run, 574  
     The Matrix, 962  
     The Terminator, 962  
 Mozetic, I., 674, *1022*  
 MPI, *see* mutual preferential independence

- MRS (metalevel reasoning system), 295  
MST (minimum spanning tree), 135  
Muggleton, S. H., 698, 705–707, 709, 830, 1001, 1014, 1024, 1036, 1038  
Müller, M., 1024  
Muller, U., 758, 897, 1017  
multiagent planning, **450**, 449–454  
multiagent systems, 632  
multiattribute utility theory, **593**, 608, 617  
multibody planning, 451–452  
multiply connected network, **509**  
Mundy, J., 896, 1024  
MUNIN, 529  
Murakami, T., 182  
Murga, R., 133, 136, 1017  
Murphy's Law, 86, 93  
Murphy, K., 531, 579, 940, 991, 1024  
Murphy, R., 942, 1016, 1024  
Muscettola, N., 27, 55, 455, 456, 1012, 1024  
music, 14  
mutagenicity, 706  
MUTATE, 119  
mutation, 22, **118**  
mutex, **396**  
mutual exclusion, **396**  
mutual preferential independence (MPI), **596**  
mutual utility independence (MUI), **597**  
MYCIN, 23, 525, 531  
Myers, K. L., 458, 1041  
Myerson, R. B., 646, 1024  
myopic policy, **603**  
Myrhaug, B., 366, 991, 997  
mysticism, 12  
Müller, M., 189  
  
*n*-armed bandit, **773**  
Nadal, J.-P., 758, 1022  
Nagel, T., 965, 1024  
naive Bayes, **482**, 486, 488, 718, 728, 729, 842  
Nalwa, V. S., 12, 897, 1024  
Nardi, D., 367, 994  
narrow content, **956**  
NASA, 27, 312, 368, 407, 456, 532, 902  
Nash equilibrium, 634  
Nash, J., 1025  
NASL, 457  
natural deduction, 311  
natural kind, **326**  
natural language, *see* language, natural  
natural numbers, **256**  
natural stupidity, 350  
Nau, D. S., 131, 183, 188, 411, 456, 1002, 1016, 1025, 1036, 1039  
Naur, P., 827, 1025  
navigation function, **924**  
NAVLAB, 27, 901  
Nayak, P., 55, 368, 456, 1024, 1025  
Neal, R., 758, 1025  
Nealy, R., 182  
nearest-neighbor, **733**, 888, 890  
nearest-neighbor model, 733–735  
neat vs. scruffy, 25  
Nebel, B., 409, 411, 1014, 1025  
needle in a haystack, 203  
negated literal, 307  
negation, **204**  
negation as failure, 290, **357**, 356–358  
negative example, **653**  
negligence, 962  
NEIGHBORS, 146  
Nelson, G., 314, 1025  
NETL, 367  
Netto, E., 88, 1025  
neural computation, *see* neural network  
neural network, 16, 20, 25, 182, **736**, 736–748  
  expressiveness, 16  
  feed-forward, **738**  
  hardware, 17  
  learning, 16, 748  
  multilayer, 22, 744–748, 755  
  perceptron, 740–743  
  probabilistic interpretation of, 743  
  radial basis function, 758  
  single layer, *see* perceptron  
NEURAL-NET-HYPOTHESIS, 742, 746  
neurobiology, 898  
NEUROGAMMON, 189, 780  
neuron, **10**, 16, 957  
neuroscience, 10–12, **737**  
Nevill-Manning, C. G., 824, 830, 1025  
Nevins, A. J., 312, 1025  
NEW-CLAUSE, **702**  
NEW-LITERALS, 702, 703  
NEW-VARIABLE, 291  
Newborn, M. M., 131, 1027  
Newell, A., 3, 17, 18, 27, 56, 88, 130, 186, 187, 233, 234, 286, 312, 366, 409, 456, 708, 971, 1017, 1023, 1025, 1035, 1037  
Newman, P., 940, 1000  
Newton, I., 1, 45, 119, 122, 132, 541, 1025  
Newton–Raphson method, **122**  
Ng, A. Y., 645, 783, 787, 858, 991, 1013, 1025  
Nguyen, X., 410, 411, 1025  
Niblett, T., 709, 996  
Nicholson, A., 579, 644, 999, 1025  
Nielsen, P. E., 312, 1012  
Niemelä, I., 367  
Niemelä, I., 1025  
Nigenda, R. S., 411, 1025  
Nilsson, D., 608, 1025  
Nilsson, N. J., 2, 27, 29, 55, 89, 130, 135, 187, 233, 267, 268, 300, 314, 409, 456, 457, 531, 708, 757, 940, 945, 1002, 1005, 1008, 1026, 1040  
Nine-Men's Morris, 182  
Niranjan, M., 568, 998  
NIST, 752  
nitroaromatic compounds, 706  
Nixon diamond, 359  
Nixon, R., 359, 820  
NLP (natural language processing), **2**, 790–862  
NO-SOLUTION-POSSIBLE, 399  
NOAH, 410, 456  
Nobel prize, 10, 11, 22  
Noda, I., 940, 1014  
NODE, 72  
node, search, **69**  
noise, **657**, 661–663, 686, 697, 712  
noisy-OR, **500**  
nominative case, 806  
noncomputability, 8  
nondeterministic, *see* environment, stochastic  
nonepisodic, 41  
nonholonomic, **905**  
NONLIN, 410

- NONLIN+, 455  
 nonlinear plan, 410  
 nonmonotonic logic, 358–360, 367  
 nonmonotonicity, **358**  
 Nono, 280  
 nonterminal symbol, **792**, 793, 984  
 normal distribution, 982  
 normalization, **476**  
 NORMALIZE, 477, 506, 509, 515, 517  
 Norman, D. A., 860, *991*  
 normative theory, **592**  
 North, O., 280  
 North, T., 22, *1004*  
 Norvig, P., 27, 312, 327, 499, 580, 829, *1013*, *1026*, *1032*  
 notation  
   arithmetic, 4  
   logical, 4  
 noughts and crosses, *see* tic-tac-toe  
 noun phrase, **792**  
 Nourbakhsh, I., 89, *1005*  
 Nowatzky, A., 187, *1010*  
 Nowick, S. M., 309, *1026*  
 Nowlan, S. J., 133, *1009*  
 NP (hard problems), 978–979  
 NP (Noun Phrase), 792  
 NP-complete, 9, 66, 88, 139, 211, 212, 235, 367, 509, 696, 758, 807, 884, 897, 979, **979**, 983  
 NSS chess program, 186  
 nuclear power, 533  
 number theory, 710  
 Nunberg, G., 829, *1026*  
 Nussbaum, M. C., 7, 965, *1026*  
 Nygaard, K., 366, *991*, *997*  
  
*O()* notation, 978  
 O'Brien, S., 860, *1029*  
 O'Reilly, U.-M., 133, *1026*  
 O'Rourke, P., 709, *1041*  
 O-PLAN, 430, 455, 456  
 object, 248  
   composite, **324**  
 object recognition, **873**, 885–892  
 object-oriented programming, 15, 351  
 objective case, 806  
 objective function, **110**, **137**  
 objectivism, **472**  
 objects, **242**  
  
 observable, 41  
 observation model, 539, **626**  
 observation sentences, 6  
 occupied space, **918**  
 occur check, **277**, 290  
 OCCUR-CHECK?, 278  
 Ockham's razor, **652**, 673–675, 687, 703, 715  
 Ockham, W., 652, 674  
 octant, **883**  
 odometry, **904**  
 Office Assistant, 529  
 offline search, **122**  
 Ogasawara, G., 579, *1010*  
 Ogawa, S., 11, *1026*  
 Oglesby, F., 309, 314, *1007*  
 Olalainty, B., 455, *1004*  
 Olawsky, D., 457, *1026*  
 Olesen, K. G., 529, 530, 987, *1026*  
 Oliver, R. M., 609, *1026*  
 Olshen, R. A., 674, 993  
 Olson, C. F., 897, *1026*  
 Olum, P., 896, *1005*  
 omniscience, **36**  
   logical, 343  
 Omohundro, S., 859, *1037*  
 Oncina, J., 830, *994*, *1026*  
 one-shot decision, *see* decision, one-shot  
 online search, **122**, 124  
 ONLINE-DFS-AGENT, 125, **126**, 127, 129  
 ONTIC, 308  
 ontological commitment, **242**, 266, 464, 524  
 ontological engineering, **320**, 320–322  
 ontology, **261**, 264  
   upper, **321**, 362  
 OP, 278  
 opacity, **342**  
 open class, **796**  
 Open Mind Initiative, 364  
 open preconditions, **389**, 448  
 open world assumption, 403  
 open-coding, **291**  
 open-loop, **61**  
 open-world assumption, 439  
 operationality, 693, **693**  
 operations research, 10, 55, 89, 131, 456  
 Oppacher, F., 133, *1026*  
 Oppen, D. C., 314, *1025*  
 OPS-5, 286, 312  
  
 optical character recognition, 794  
 optical flow, **875**, 894, 896  
 optimal brain damage, **748**  
 optimal control theory, 132  
 optimal controllers, **927**  
 optimal solution, *see* solution, optimal  
 optimality (of a search algorithm), **71**, 87  
 optimality theory (Linguistics), 829  
 optimally efficient algorithm, **101**  
 optimistic prior, 774  
 optimizer, peephole, 429  
 OPTIMUM-AIV, 455  
 OR-SEARCH, 435, **435**, 461  
 orderability, **587**  
 ordering constraint, **389**  
 ORDERINGS, 424  
 ordinal utility, *see* utility, ordinal  
 Organon, 233, 363  
 Ormoneit, D., 786, *1026*  
 Ortony, A., 829, *1026*  
 Osawa, E., 940, *1014*  
 Osborne, M. J., 646, *1026*  
 Oscar, 458  
 Osherson, D. N., 675, *1026*  
 Ostland, M., 579, *1027*  
 Othello, 162, 182  
 OTTER, 306, 307, **307**, 309, 314, 318  
 Overbeek, R., 315, *1042*  
 overfitting, **662**, 661–663, 712, 748  
 overgeneration, **798**  
 Overmars, M., 941, *1013*  
 overriding, **352**  
 Owens, A. J., 133, *1003*  
  
**P** (probability vector), 469  
 P controller, **928**  
 PAC, *see* probably approximately correct  
 packed forest, **805**  
 packed tree, 833  
 Page, C. D., 709, *996*, *1026*  
 Page, L., 859, 993  
 PAGERANK, 859  
 Pak, I., 580, *1026*  
 Palay, A. J., 188, *1026*  
 Pallottino, S., 89, *1004*  
 Palmer, D. A., 861, *1026*  
 Palmer, S., 897, *1026*  
 Palmieri, G., 757, *1004*  
 Pang, C.-Y., 89, *1000*



- Panini, 16, 827  
 Papadimitriou, C. H., 132, 133, 235, 644, 858, 897, 983, 1000, 1014, 1016, 1026, 1027  
 Papadopoulou, T., 896, 1002  
 Papavassiliou, V., 786, 1027  
 Papert, S., 22, 757, 1022  
 PARADISE, 185  
 paradox, 366, 607, 610  
 parallel distributed processing, *see* neural network  
 parallel lines, 865  
 parallel search, **134**  
 parallelism  
   AND-, **292**  
   OR-, **292**  
 parameter, **501**, 716  
 parameter independence, **722**  
 paramodulation, **304**, 314  
 Pardalos, P. M., 236, 1001  
 Parekh, R., 830, 1027  
 parent node, **69**  
 PARENT-NODE, 69, 70, 72  
 Pareto dominated, **633**  
 Pareto optimal, **633**  
 Parisi, D., 830, 1001  
 Parisi, G., 530, 1027  
 parity function, **655**  
 Park, S., 309, 1008  
 Parker, D. B., 757, 1027  
 Parker, L. E., 942, 1027  
 Parr, R., 787, 973, 1027, 1032  
 Parrod, Y., 455, 987  
 PARSE, 796, 798  
 parse tree, **794**  
 parsing, **794**, 798–805  
   bottom-up, **798**  
   chart, 800  
   top-down, **798**  
 part of, 324  
 partial-order planning, **388**, 387–395  
 particle filtering, 566, **566**, 578, 579  
 PARTICLE-FILTERING, **566**  
 partition, **324**  
 Parzen window, 756  
 Parzen, E., 756, 1027  
 Pascal's wager, 487, 607  
 Pascal, B., 6, 9, 487  
 Pasero, R., 267, 313, 996  
 PASSIVE-ADP-AGENT, **768**, 771  
 PASSIVE-TD-AGENT, **769**  
 Pasula, H., 531, 579, 580, 1020, 1027  
 Paterson, M. S., 314, 1027  
 path, **62**, 87  
 path consistency, 156  
 path cost, **62**, 87, 139  
 path planning, **916**  
 PATH-COST, 69, 72  
 PATHFINDER, 529  
 Patil, R., 367, 804, 828, 995, 1001  
 Patrick, B. G., 131, 1027  
 Patten, T., 829, 1027  
 pattern database, **108**, 131  
   disjoint, **109**  
 pattern matching, **283**  
 Paul, R. P., 941, 1027  
 Paull, M., 235, 1003  
 payoff function, 163, 465  
 Pazzani, M., 488, 755, 1000  
 PCFG, *see* grammar, context-free  
 PD controller, **928**  
 PDDL, 379, 409  
 PDP, *see* parallel distributed processing  
 Peano axioms, **256**, 267, 283  
 Peano, G., 267, 1027  
 Pearl, J., 26, 56, 95, 130–132, 158, 187, 188, 491, 493, 499, 529–532, 611, 755, 756, 999, 1005, 1014, 1027, 1034  
 Pearson, J., 158, 1027  
 PEAS description, **38**, 40  
 Pecheur, C., 309, 1008  
 Pednault, E. P. D., 409, 458, 1027  
 PEGASUS, 783, 784, 787, 789  
 Peirce, C. S., 156, 267, 350, 366, 827, 828, 1027, 1028  
 Peled, D., 315, 996  
 Pelikan, M., 133, 1028  
 Pell, B., 55, 456, 1024  
 Pemberton, J. C., 134, 1028  
 Penberthy, J. S., 410, 1028  
 Peng, J., 786, 1028  
 Pengi, 458  
 penguin, 458  
 Penix, J., 309, 1008  
 PENMAN, 829  
 Pennsylvania, U. of, 14  
 Penrose, R., 950, 1028  
 Peot, M., 457, 530, 1028, 1034  
 percept, **32**  
 percept sequence, **32**, 35  
 perception, 31, 32, 258, 863–894  
 perceptron, 21, **740**, 755, 757  
   convergence theorem, 21  
   representational power, 22, 761  
   threshold, 740  
 PERCEPTRON-LEARNING, **742**  
 Pereira, F., 289, 291, 793, 827, 830, 1023, 1028, 1040  
 Pereira, L. M., 291, 1040  
 Peres, Y., 580, 1020  
 performance element, **52**, 53  
 performance measure, 35, **35**, 38, 463, 585  
 Perl, 343  
 perpetual punishment, 639  
 perplexity, **836**  
 Perrault, C. R., 827, 996  
 persistence action, **396**  
 persistence arc, **562**  
 persistent failure model, **562**  
 Person, C., 786, 1023  
 perspective, 895  
 perspective projection, **865**, 874  
 Peters, S., 828, 1000  
 Peterson, C., 530, 1028  
 Petrie, T., 579, 756, 989  
 Pfeffer, A., 531, 646, 1015, 1028  
 Pfeifer, G., 367, 1001  
 phase transition, 235  
 phenomenology, 953  
 Philips, A. B., 132, 157, 1023  
 Philo of Megara, 234  
 philosophy, 5–7, 55, 947–967  
 phone (speech), **568**  
 phone model, 572  
 phone number, 343  
 phoneme, **568**  
 phonetic alphabet, 569  
 phonology, **568**  
 photogrammetry, 895, 896  
 photometry, **867**, 867–868  
 photosensitive spot, 893  
 phrase, 792  
 phrase structure, **792**, 827  
 Picasso, P., 953  
 Pickwick, Mr., 953  
 PID controller, **929**  
 pigeons, 13  
 Pijls, W., 188, 1028  
 ping-pong, 31, 763  
 pinhole camera, **865**, 865–866  
 Pinker, S., 242, 830, 1028  
 Pisa, tower of, 53  
 pit, bottomless, 197  
 Pitts, W., 15, 16, 20, 236, 737, 738, 757, 1021  
 Pitts, W. H., 893, 1018

- pixel, **865**  
 PL-FC-ENTAILS?, 218, **219**  
 PL-RESOLUTION, 216, **216**, 217  
 PL-RESOLVE, 216  
 PL-TRUE?, 206, 209, 236, 237  
 PL-WUMPUS-AGENT, 226, **226**,  
 231, 239  
 Plaat, A., 188, *1028*  
 Place, U. T., 965, *1028*  
 Plamondon, P., 861, *1022*  
 plan  
   conditional, 454  
   consistent, **390**  
   continuous, 446  
   flaw, **448**  
   joint, **450**  
   library, **423**  
   monitoring, 441, **443**  
   nonlinear, 410  
   recognition, **453**  
 PLAN-ERS1, 455  
 planetary rover, **901**  
 PLANEX, 457  
 Plankalkül, 14  
 PLANNER, 24, 312, 313, 442,  
 443, 796  
 planning, 50, 185, **330**, **375**,  
 375–461  
   and acting, 430–432  
   as satisfiability, 402–406  
   blocks world, 20  
   case-based, **456**  
   classical, 375  
   conditional, **431**, 462  
   conformant, 431  
   contingency, 431  
   continuous, 431, 445  
   and execution, 445–449  
   fine-motion, **924**  
   graph, **395**, 395–402, 409  
     serial, **397**  
   heuristics, 394–395  
   hierarchical, 422–430, 454  
   hierarchical task network, 422  
   history of, 409  
   linear, **410**  
   multiagent, **449**, **450**  
   multibody, **451**, 451–452  
   non-interleaved, **414**  
   partial-order, **388**  
   progression, **382**  
   reactive, **458**  
   regression, **385**, 410  
   route, 19  
   search space, 382–387  
   sensorless, **431**  
 Plato, 233, 365, 964  
 Plotkin, G., 314, 709, *1028*  
 Plunkett, K., 830, *1001*  
 ply, **163**  
 pneumatic actuation, **906**  
 Pnueli, A., 364, *1028*  
 Podelski, A., 313, 987  
 poetry, 1  
 Pohl, I., 89, 130, *1028*  
 point-to-point motion, **916**  
 pointwise product, **507**  
 POINTWISE-PRODUCT, 509  
 poker hands, 489  
 Poland, 365  
 Polguere, A., 828, *1022*  
 policy, 458, **615**, 643  
   iteration, **624**, 624–625, 644  
   asynchronous, **625**  
   modified, **625**  
   loss, **623**  
   optimal, **615**  
   proper, **618**  
   search, **781**, 781–783  
 POLICY-EVALUATION, 624  
 POLICY-ITERATION, **624**  
 polite convention, **953**  
 Pollack, M. E., 410, 456, 458,  
 827, 996, *1012*, *1042*  
 polytree, **509**, 528, 546  
 Pomerleau, D. A., 897, *1028*  
 Ponte, J. M., 859, *1029*  
 Poole, D., 2, 27, 55, 529, 531,  
*1029*, *1043*  
 POP, 388, 390, 391, 393, 394,  
 408, 410, 425, 427, 428,  
 448, 451, 452  
 POP-CON, 445  
 Popper, K. R., 487, 675, *1029*  
 Porphyry, 366  
 Port-Royal Logic, 584, 607  
 Porter, M. F., 859, *1029*  
 Portuguese, 688  
 pose, **873**, 890  
 pose estimation, 890–892  
 Posegga, J., 315, 990  
 positive example, **653**  
 positivism, logical, **6**  
 possibility axiom, **330**  
 possibility theory, 532, **532**  
 possible world, **201**, 266, 366, 519  
 Post, E. L., 234, *1029*  
 posterior probability, *see*  
   probability, conditional  
 potential field, **921**  
 Prade, H., 532, *1001*  
 Pradhan, M., 501, *1029*  
 pragmatic interpretation, 794,  
 815–817  
 PRAGMATICS, 796  
 pragmatics, **792**  
 Pratt, V. R., 364, *1029*  
 Prawitz, D., 311, *1029*  
 precision, **843**  
 precondition, **377**  
   external, **423**  
 precondition axiom, 404  
 predecessor, **80**, 384  
 predicate, 812  
 predicate calculus, *see* logic,  
   first-order  
 predicate indexing, **279**  
 predicate symbol, **246**, 266  
 PREDICT, 833  
 predicting the future, 668  
 prediction, 544, 578  
 PREDICTOR, 801, **801**, 802, 803  
 preference, **465**, 586, 588  
   monotonic, **589**  
 preference independence, **596**,  
 611  
 premise, **205**  
 president, 340  
 Presley, E., 339  
 Press, W. H., 132, *1029*  
 Prete, F., 896, 994  
 Price Waterhouse, 455  
 Price, B., 644, 992  
 Prieditis, A. E., 108, 131, 135,  
*1024*, *1029*  
 Princeton, 17  
*Principia Mathematica*, 17  
 Prinz, D. G., 186, *1029*  
 prior knowledge, 651, **678**, 688,  
 697  
 prior probability, *see* probability,  
   prior  
 Prior, A. N., 364, *1029*  
 PRIOR-SAMPLE, 511, **512**, 513  
 prioritized sweeping, **770**, 786  
 priority queue, 94, 788, 847  
 prismatic joint, **905**  
 prisoner's dilemma, **633**  
 prisoners, three, 491  
 probabilistic context-free  
   grammar, *see* grammar,  
   context-free, probabilistic  
 probabilistic language model, **834**  
 probabilistic network, *see*  
   Bayesian network

- probabilistic roadmap, **923**  
 probability, 9, 26, 462–471, 492–536, 981–982  
   alternatives to, 523  
   assessment, 472  
   axioms of, 471–473  
   conditional, 465, **470**, 470–471, 486, 496  
   conjunctive, 496  
   density function, **469**, 982  
   distribution, 184, **469**, 504  
   history, 488  
   judgments, 498  
   marginal, **475**  
   prior, 465, **468**, 468–470, 486  
   ranking principle, 841  
   theory, 244, **464**, 607  
 probably approximately correct, **668**, 671, 675  
 probit distribution, **503**, 527, 530  
 problem, **62**, 87  
   n queens, 224  
   airport-siting, 611  
   assembly sequencing, 68  
   bandit, 786  
   contingency, **86**  
   8-queens, 66, 88  
   8-puzzle, 105, 107, 130  
   formulation, **60**, 62–64  
   frame, 365  
   generator, **52**  
   halting, 275  
   inherently hard, 978–979  
   million queens, 150, 157  
   missionaries and cannibals, 90  
   monkey and bananas, 90, 412  
   real-world, **64**  
   relaxed, 107, **107**, 108, 386, 394  
   robot navigation, 68  
   solving, 22  
   touring, 67  
   toy, **64**  
   traveling salesperson, 68  
   VLSI layout, 68, 115  
 procedural approach, **197**  
 procedural attachment, **348**, 352  
 PROCESS, 307, **307**  
 process, **337**  
 processes, 337–338  
 PRODIGY, 456  
 product rule, **470**  
 production, 46  
 production system, 272, **286**, 310  
 PROGOL, 698, 705, 706, 709  
 program synthesis, 457  
 programming language, 240  
 projection, **330**  
 Prolog, 24, **289**, 310, 410, 703, 827, 830  
   parallel, 292  
 Prolog Technology Theorem  
   Prover (PTTP), 307, 314  
 pronunciation, **569**  
 pronunciation model, 572  
 proof, **212**  
   checker, **308**  
   procedure, 8  
 property (unary relation), **242**  
 proposition, 467  
   probabilistic, 467–468  
   symbol, **204**  
 propositional attitude, **341**  
 propositional logic, *see* logic,  
   propositional  
 propositionalization, **274**  
 proprioceptive sensor, **904**  
 PROSPECTOR, 531  
 Prosser, P., 157, *1029*  
 Protagoras, 827  
 protection interval, *see* causal link  
 Proust, M., 854  
 Provan, G. M., 501, *1029*  
 PROVERB, 28  
 PRS (Procedural Reasoning  
   System), 458  
 pruning, **100**, 162, 662  
   forward, **174**  
   futility, **181**  
   in contingency problems, 178  
   in EBL, 693  
 Pryor, L., 457, *1029*  
 pseudo-experience, 770  
 pseudocode, 985  
 PSPACE, 979  
 PSPACE-complete, 401, 409  
 psychological reasoning, **369**  
 psychology, 12–14  
   experimental, 3, 12  
 psychophysics, 898  
 public key encryption, 309  
 PUCCINI, 458  
 Puget, J.-F., 709, *1031*  
 Pullum, G. K., 243, 793, 828, 830, *1010*, *1029*  
 pure strategy, **632**  
 pure symbol, **221**  
 Puterman, M. L., 55, 644, *1029*  
 Putnam, H., 55, 221, 235, 300, 311, 488, 965, 998, *1029*  
 Puzicha, J., 758, 897, *990*  
 puzzle, zebra, 159  
 Pylyshyn, Z. W., 966, *1029*  
  
 $Q(a, s)$  (value of action in state), 775  
 $Q$  learning, *see* learning,  $Q$   
 Q-LEARNING-AGENT, **776**  
 QA3, 267, 364, 409  
 QALY, **593**, 608  
 QLISP, 314  
 qualia, **956**, 957, 966  
 qualification problem, 431, 462, 951, 952  
 qualitative physics, 327, **368**  
 qualitative probabilistic network, 532, **596**  
 quantified term, 814, **814**  
 quantifier, **249**, 267  
   existential, 250–251  
   in logic, 249–252  
   nested, 251–252  
   scope, 828  
   universal, 249–250  
 quantization factor, **570**  
 quasi-logical form, **814**, 828  
 Qubic, 182  
 query, **840**  
 query (logical), **254**  
 query language, **840**  
 query variable, 504  
 queue, **71**  
   FIFO, 73  
   LIFO, 75  
   priority, 94, 788, 847  
 Quevedo, T., 186  
 quiescence, **174**, 186  
 Quillian, M. R., 366, *1029*  
 Quine, W. V., 267, 326, 363, 366, *1029*  
 Quinlan, E., 860, *1029*  
 Quinlan, J. R., 674, 677, 701, 703, 709, *1029*, *1030*  
 Quirk, R., 828, *1030*  
  
 R1, 24, 286, 312  
 Rabani, Y., 133, *1030*  
 Rabideau, G., 455, *1004*  
 Rabiner, L. R., 580, *1030*  
 Rabinovich, Y., 133, *1030*  
 racing cars, 974  
 radar, 10  
 radial basis function, **758**  
 Radio Rex, 580  
 Raghavan, P., 858, *1026*

- Raiffa, H., 10, 592, 597, 608, 646, 1014, 1019
- Rajan, K., 27, 55, 455, 1012
- Ramakrishnan, R., 312, 1030
- ramification, 380
- ramification problem, 332
- Ramsey, F. P., 9, 487, 608, 1030
- random restart, 136
- random set, 527
- random variable, 467, 497  
     continuous, 501, 529
- random walk, 540, 554
- RANDOM-SELECTION, 119
- randomization, 33, 48
- range finder, 903  
     laser, 904
- Rao, A., 56, 1042
- Rao, B., 579, 1010
- RAP, 458
- Raphael, B., 130, 312, 709, 991, 1007, 1008
- Raphson, J., 122, 132, 1030
- rapid prototyping, 289
- Raschke, U., 940, 996
- Rassenti, S., 646, 1030
- Ratio Club, 757
- rational agent, *see* agent, rational
- rational thought, 4
- rationality, 1, 34–36  
     calculative, 972  
     limited, 5  
     perfect, 5, 972, 972
- Ratner, D., 88, 1030
- rats, 13
- Rauch, H. E., 578, 579, 1030
- ray tracing, 868
- Rayner, M., 694, 1033
- Rayson, P., 859, 1018
- RBDTL, 697, 709
- RBFS, 101–103
- RBL, *see* relevance-based learning
- reactive layer, 933
- reactive planning, 458
- real-time AI, *see* artificial intelligence, real-time
- real-world problem, *see* problem, real-world
- reasoning, 19  
     default, 354–360, 523  
     goal-directed, 185  
     intercausal, 525  
     logical, 211–239  
     uncertain, 26, 795
- Reboh, R., 314, 1032
- recall, 843
- Rechenberg, I., 132, 1030
- reciprocal rank (in IR), 844
- recognition  
     brightness-based, 887  
     feature-based, 888–890
- recurrent network, 738, 758
- recursive definition, 703
- recursive estimation, 542
- RECURSIVE-BACKTRACKING, 142, 142
- RECURSIVE-BEST-FIRST-SEARCH, 102
- RECURSIVE-DLS, 77, 77
- Reddy, R., 580, 1001, 1019
- reduct, 357
- reduction, 983
- redundant step, 447
- reference class, 472, 488
- reference controller, 927
- reference path, 927
- reference resolution, 821
- referential opacity, 366
- referential transparency, 342
- reflectance, 867, 880
- reflectance map, 881
- REFLEX-AGENT-WITH-STATE, 49
- REFLEX-VACUUM-AGENT, 46
- refutation, 211, 307, 311
- refutation completeness, 214, 300
- Regin, J., 157, 1030
- regression planner, *see* planning
- regression, linear, 720
- regret, 592
- Reichenbach, H., 488, 1030
- Reif, J., 941, 994, 1030
- reification, 323, 341
- REINFORCE, 783, 787, 789
- reinforcement, 650, 650, 763
- reinforcement learning, 650, 763–789, 952  
     active, 771–777  
     generalization in, 777–781
- Reingold, E. M., 156, 991
- Reiss, M., 183
- Reiter, E., 829, 1030
- Reiter, R., 236, 365, 367, 644, 934, 992, 1018, 1030
- Reitman, W., 189, 1030
- rejection sampling, 512
- REJECTION-SAMPLING, 512, 513
- relation, 242
- relational probability model, 519
- relaxed problem, *see* problem, relaxed
- relevance, 207, 384, 689, 709
- relevance feedback, 845
- relevance-based learning, 689, 694–697, 707
- Remote Agent, 27, 55, 309, 407, 456
- REMOVE-FIRST, 71, 72, 83, 146
- REMOVE-FLAW, 449
- Remus, H., 189, 1030
- renaming, 281
- Rényi, A., 1030
- repeated game, 638, *see* game, repeated
- repeated state, 81
- replanning, 431, 432, 441–445, 457
- REPLANNING-AGENT, 442
- REPOP, 410
- representation, *see* knowledge representation
- representation theorem, 596
- REPRODUCE, 119, 119
- REQUEST, 603
- Rescher, N., 364, 1030
- RESET-TRAIL, 291, 292
- resolution, 19, 21, 214, 213–217, 267, 295–311, 711  
     closure, 217, 301  
     completeness proof for, 300  
     input, 305  
     inverse, 703, 703–707, 709  
     linear, 305  
     strategies, 304–306
- resolution closure, 217
- resolvent, 703
- resource  
     constraints, 420–422  
     consumable, 420  
     reusable, 420
- resource (in planning), 420, 454
- resources, 417–422
- response, 13
- REST, 278, 288
- restaurant hygiene inspector, 180
- RESULT, 89
- rete, 286
- retina, 863
- RETRACT, 360, 361
- Reversi, 182
- revolute joint, 905
- reward, 54, 614, 643, 650, 763
- rewrite rule, 306, 318, 792, 984
- REWRITES-FOR, 801

- Reynolds, C. W., 458, *1030*  
 rhetorical structure theory, 829  
 Ribeiro-Neto, B., 859, *989*  
 Rice, T. R., *1022*  
 Rich, E., 2, *1030*  
 Richardson, M., 580, *1030*  
 Richardson, S., 530, *1005*  
 Rieger, C., 24, 829, *1031*  
 Riesbeck, C., 24, 312, 829, 995, *1033*  
 right association, **820**  
 right thing, doing the, 1, 5, 972  
 Riley, M., 793, *1023*  
 Ringle, M., 966, *1031*  
 Rink, F. J., 532, *1024*  
 Rintanen, J., 457, *1031*  
 Ripley, B. D., 759, *1031*  
 risk aversion, **591**  
 risk neutrality, **591**  
 risk seeking, **591**  
 Rissanen, J., 675, *1031*  
 Rissland, E. L., 29, *1036*  
 Ristad, E. S., 833, *989*  
 Ritchie, G. D., 710, *1031*  
 Ritov, Y., 579, *1027*  
 Rivest, R., 675, 983, 997, *1031*  
 Robbins algebra, **309**  
 Roberts, L. G., 897, *1031*  
 Roberts, M., 186, *990*  
 Robertson, N., 158, *1031*  
 Robertson, S. E., 488, 859, *1031*  
 Robinson, A., 311  
 Robinson, G., 314, *1042*  
 Robinson, J. A., 19, 235, 267, 295, 300, 312, *1031*  
 robot, 939  
   game (with humans), 945  
   mobile, **901**  
   navigation, 68  
   soccer, 57, 162, 458, **938**  
 robotics, **3**, 561  
   cognitive, **365**  
 ROC curve, **843**  
 Roche, E., 860, *1031*  
 Rochester, N., 17, 18, *1021*  
 Rock, I., 897, *1031*  
 Rockefeller Foundation, 860  
 Romania, 59, 138  
 Roossin, P., 860, *993*  
 Rorty, R., 965, *1031*  
 Rosenblatt, F., 21, 742, 757, 896, *1005, 1031*  
 Rosenblatt, M., 756, *1031*  
 Rosenblitt, D., 410, *1021*  
 Rosenbloom, P. S., 27, 286, 312, 456, 708, 971, *1017, 1037*  
 Rosenblueth, A., 15, *1031*  
 Rosenbluth, A., 132, 530, *1022*  
 Rosenbluth, M., 132, 530, *1022*  
 Rosenfeld, E., 30, 988  
 Rosenholtz, R., 880, 896, *1020*  
 Rosenschein, J. S., 646, *1031*  
 Rosenschein, S. J., 55, 236, 942, *1013, 1031*  
 Rosenthal, D. M., 966, *1031*  
 Ross, S. M., 488, 983, *1031*  
 Rossi, F., 156, *991*  
 rotation, 874  
 Roussel, P., 267, 313, *996, 1031*  
 route finding, 67  
 Rouveiro, C., 709, *1031*  
 Roveri, M., 411, 457, 990, 991, 996  
 Rowat, P. F., 941, *1031*  
 Roweis, S. T., 579, *1031*  
 Rozonoer, L., 759, *987*  
 RPM, *see* relational probability model  
 RSA (Rivest, Shamir, and Adelman), 309  
 Rubik's cube, 88, 108, 875  
 Rubin, D., 579, 756, 759, *1000, 1005, 1031*  
 Rubinstein, A., 646, *1026*  
 rule  
   condition-action, **46**, 189  
   default, **359**  
   dotted, 800  
   if-then, 46, 205  
   implication, 205  
   schema, **809**  
   situation-action, 46  
   uncertain, 524  
 RULE-ACTION, 47, 49  
 rule-based system, 523, 951  
   with uncertainty, 524-525  
 RULE-MATCH, 47, 49  
 Rumelhart, D. E., 25, 757, *1031, 1032*  
 Ruspini, E. H., 532, *1032*  
 Russell, B., 6, 16, 17, 311, *1041*  
 Russell, J. G. B., 608, *1032*  
 Russell, S. J., 27, 131, 188, 295, 327, 499, 531, 579, 580, 644, 645, 708, 709, 756, 786, 787, 935, 940, 971-973, 988, 991, 998, *1001, 1010, 1013, 1020, 1024, 1025, 1027, 1032, 1037, 1043*  
 Russia, 21, 187, 471, 578  
 Rustagi, J. S., 530, *1032*  
 Ruzzo, W. L., 828, *1006*  
 Ryder, J. L., 189, *1032*  
 Rényi, A., 487  
 S-set, **684**  
 Sabin, D., 157, *1032*  
 Sacerdoti, E. D., 314, 410, 456, *1032*  
 Sackinger, E., 758, 897, *1017*  
 Sacks, E., 368, *1032*  
 Sadri, F., 365, *1032*  
 Sag, I., 828, 830, *1012, 1032*  
 Sagalowicz, D., 314, *1032*  
 Sager, N., 828, *1032*  
 Sagiv, Y., 313, *989*  
 Sahami, M., 532, 858, 860, *1015, 1032, 1033*  
 Sahni, S., 89, *1010*  
 SAINT, 19  
 St. Petersburg paradox, 607, 610  
 Salisbury, J., 941, *1021*  
 Salmond, D. J., 579, *1006*  
 Salomaa, A., 858, *1033*  
 Salton, G., 755, 859, *1033*  
 SAM, 309, 314  
 sample complexity, *see* complexity, sample  
 sample points, 468  
 sampling, 511-516  
 sampling rate, **570**  
 Samuel, A. L., 17, 18, 56, 181, 187, 780, 785, 786, *1033*  
 Samuelsson, C., 694, *1033*  
 Sanna, R., 757, *1004*  
 Sanskrit, 363, 827  
 Santorini, B., 859, *1020*  
 SAPA, 455  
 Sapir-Whorf hypothesis, 243  
 Saraswat, V., 157, *1039*  
 Sastry, S., 55, *1009*  
 SAT-SOLVER, 403  
 satisfiability, **211**, 235, 402  
 satisficing, **10**  
 Sato, T., 313, 531, *1033, 1037*  
 SATPLAN, 403, **403**, 407-409, 411, 412, 416, 457, 705  
 saturation, **301**  
 Saul, L. K., 530, 531, 580, *1012, 1033*  
 Saund, E., 858, *1033*  
 Savage, L. J., 474, 487, 608, *1033*

- SAY, 796  
 Sayre, K., 947, 1033  
 scaled orthographic projection, **866**  
 SCANNER, 801, **801**, 802, 803  
 Scarcello, F., 158, 313, 367, 1001, 1006  
 scene, **865**  
 Schütze, H., 830, 859, 861  
 Schabes, Y., 828, 860, 1031, 1033  
 Schaeffer, J., 131, 182, 188, 189, 997, 1020, 1028, 1033  
 Schank, R. C., 24, 829, 1033  
 Schapire, R. E., 674, 1004, 1033  
 Scharir, M., 941, 1033  
 schedule, **418**  
 scheduling, 417–422  
 Scheines, R., 755, 1036  
 schema (in a genetic algorithm), **118**  
 Scherl, R., 365, 934, 1018  
 Schickard, W., 6  
 Schmolze, J. G., 367, 1033  
 Schneeberger, J., 365, 1009  
 Schnitzius, D., 456, 999  
 Schoenberg, I. J., 757, 1024  
 Schofield, P. D. A., 88, 1033  
 Scholkopf, B., 757–759, 999, 1033  
 Schölkopf, B., 997  
 Schöning, T., 1033  
 Schoppers, M. J., 458, 1033  
 Schrag, R. C., 235, 990  
 Schröder, E., 1033, 1044  
 Schröder, E., 1033  
 Schröder, E., 234  
 Schubert, L. K., 364, 410, 828, 1005, 1011  
 Schultz, W., 786, 1033  
 Schulz, D., 994  
 Schumann, J., 314, 1018  
 Schütze, H., 1020, 1033  
 Schwartz, J. T., 941, 1033  
 Schwartz, S. P., 363, 1033  
 Schwartz, W. B., 488, 1006  
 Schölkopf, B., 759  
 Schöning, T., 235  
 scientific discovery, 675  
 Scott, D., 531, 1034  
 Scriven, M., 965, 1034  
 scruffy vs. neat, 25  
 search, 22, 50, **60**, 87  
 A\*, 97–101  
 alpha-beta, 167–171, 185, 186  
 B\*, 188  
 backtracking, **141**, 148–151, 156, 898  
 beam, **115**  
 bidirectional, 79–131  
 breadth-first, 73  
 continuous space, 119–122, 132  
 current-best-hypothesis, 680  
 cutting off, 173–174  
 depth-first, 75–77  
 depth-limited, **77**, 77  
 for translations, 856  
 general, 87  
 greedy, **113**  
 greedy best-first, **95**, 95  
 heuristic, **73**, 130  
 hill-climbing, 111–114, 126  
 in a CSP, 141–150  
 informed, 73, **94**, 94–105  
 Internet, 346  
 iterative deepening, **78**, 78–79, 87, 89, 173, 307  
 iterative deepening A\*, 101, 131  
 learning to, 104  
 local, 110–119, 131–132, 157, 222–223, 235  
 local beam, 115, 116  
 local, for CSPs, 150–151  
 memory-bounded, 101–104, 131  
 memory-bounded A\*, **103**, 103–104, 131  
 minimax, 165–168, 183, 185  
 node, 69  
 online, 123–129, 133–134  
 parallel, **134**  
 partial information, 83, 87  
 policy, **781**, 781–783  
 quiescence, **174**  
 real-time, **134**, 171–175  
 recursive best-first (RBFS), 101–103, 131  
 repeated states, 81–83  
 simulated annealing, 115  
 stochastic beam, **116**  
 strategy, **69**  
 tabu, **132**  
 tree, **69**  
 uniform-cost, 75  
 uninformed, **73**, 73–74, 87, 89  
 Viterbi, 576  
 search, backtracking, 76  
 Searle, J. R., 12, 827, 954, 956–960, 965, 1034  
 segmentation (of a sentence), 836  
 segmentation (of an image), **873**  
 segmentation (of speech), **574**  
 Sejnowski, T., 759, 780, 786, 1009, 1023, 1038  
 SELECT-UNASSIGNED-VARIABLE, 144  
 Self, M., 756, 995  
 Selfridge, M., 860, 991  
 Selfridge, O. G., 17  
 Selman, B., 132, 235, 367, 411, 1006, 1013, 1014, 1034  
 semantic interpretation, 810–815, 828, 831  
 semantic networks, 349–352, 362, 366  
 Semantic Web, 364  
 SEMANTICS, 796  
 semantics, 29, **201**  
 compositional, **810**  
 logical, 232  
 preference, 829  
 semidecidable, 310  
 semidecidable problem, 275  
 semidynamic environment, 42  
 semiotics, **827**  
 Sen, S., 786, 1026  
 sensing  
 action, 431, **439**  
 active, **439**, 440  
 automatic, **439**  
 sensitivity analysis, 606  
 sensor, 32, 39, **863**  
 active, **903**  
 failure, 561  
 model, **539**, 549, 554, 578, 626, 908  
 passive, **903**  
 tactile, 863  
 sensorless planner, 431  
 sentence  
 atomic, **204**, 248, 253, 266  
 complex, **204**, 249, 266  
 in a KB, **195**, 232  
 in a language, **792**  
 as physical configuration, 203  
 quantified, 266  
 separator (in Bayes net), 482  
 sequential  
 circuit, **227**  
 decision problem, 613–618, 644  
 environment, 41, **41**  
 importance-sampling  
 resampling, 579

- SEQUITUR, 824, 825, 830, 840  
 serendipity, 444  
 Sergot, M., 365, 1016  
 serializable subgoals, **407**  
 Serina, I., 411, 1005  
 Sestoft, P., 708, 1012  
 set (in first-order logic), **256**  
 set of support, **305**, 306  
 SETHEO, 314  
 Settle, L., 309, 314, 1007  
 Seymour, P. D., 158, 1031  
 SGP, 411, 457  
 Shachter, R. D., 499, 529, 530,  
     593, 608, 645, 1034, 1038  
 shading, 874, 880–881  
 Shafer, G., 531, 532, 1034  
 shaft decoder, **904**  
 Shahan, R. W., 966, 991  
 Shahookar, K., 88, 1034  
 Shakey, 19, 55, 409, 414, 457, 940  
 Shalla, L., 314, 1042  
 Shanahan, M., 365, 1034  
 Shankar, N., 309, 1034  
 Shannon, C. E., 17, 162, 186, 659,  
     674, 858, 1021, 1034  
 shape, **874**  
     context, **889**  
     from shading, 896  
     from texture, 896  
 Shapiro, E., 709, 1034  
 Shapiro, S. C., 30, 1034  
 Shapley, S., 646, 1034  
 Sharir, M., 941, 1007  
 Sharp, D. H., 757, 997  
 Shavlik, J., 675, 1034  
 Shaw, J. C., 88, 186, 234, 1025  
 Shawe-Taylor, J., 757, 759, 997  
 Shazeer, N. M., 28, 158, 1019  
 Shelley, M., 962, 1034  
 Shenoy, P. P., 532, 1034  
 Shewchuk, J., 940, 999  
 Shi, J., 873, 1034  
 Shieber, S. M., 830, 1028  
 Shimelevich, L. I., 579, 1042  
 Shin, M. C., 644, 1029  
 Shmoys, D. B., 88, 421, 456,  
     1017, 1020  
 Shoham, Y., 55, 314, 365, 608,  
     1017, 1034, 1035  
 short-term memory, 286  
 shortest path, 91  
 Shortliffe, E. H., 23, 531, 994,  
     1035  
 SHRDLU, 20, 23, 312, 381  
 Shwe, M., 530, 1035  
 Sidner, C. L., 824, 830, 1007  
 Siekmann, J., 315, 1035  
 Sietsma, J., 758, 1035  
 SIGART, 30  
 SIGIR, 861  
 sigmoid function, **503**, **738**  
 signal processing, **569**, 570  
 signs, **790**  
 Siklossy, L., 456, 1035  
 Silverstein, C., 847, 859, 1035  
 Simard, P., 758, 897, 1017  
 Simmons, R., 89, 829, 940, 1015,  
     1035  
 Simon's predictions, 21  
 Simon, H. A., 3, 10, 17, 18, 29,  
     56, 88, 130, 180, 186, 187,  
     234, 309, 315, 409, 710,  
     973, 1017, 1025, 1035  
 Simon, J. C., 235, 1035  
 Simons, P., 367, 1025  
 SIMPLE-REFLEX-AGENT, **47**  
 simplex algorithm, 132  
 SIMPLIFY, 307  
 simulated annealing, 115, 132,  
     136, 157, 519  
 SIMULATED-ANNEALING, **116**,  
     222  
 simulation of world, 955  
 simultaneous localization and  
     mapping, **913**  
 Sinclair, A., 114, 133, 1019, 1030  
 Singh, M. P., 56, 1011  
 Singh, S. P., 134, 644, 786, 787,  
     989, 1011, 1013, 1037  
 singly connected network, **509**  
 singular extension, **174**  
 singularity  
     technological, **963**  
 sins, seven deadly, 113  
 SIPE, 455–458  
 Sirovitch, L., 897, 1035  
 situated agent, 952  
 situatedness, 27  
 situation, **329**, 585  
 situation calculus, **329**, 328–335,  
     364  
 SIZE, 119  
 skeletonization, 916, **922**  
 SKETCHPAD, 156  
 Skinner, B. F., 16, 55, 1035  
 Skolem constant, **273**, 311  
 Skolem function, **296**, 311  
 Skolem, T., 267, 311, 1035  
 skolemization, 273, **296**  
 slack, **418**  
 Slagle, J. R., 19, 187, 1035  
 slant, **874**  
 Slate, D. J., 89, 1035  
 Slater, E., 186, 1035  
 Sleator, D., 828, 1035  
 sliding-block puzzle, **66**  
 Slocum, J., 829, 1035  
 Sloman, A., 966, 1035  
 Slovic, P., 2, 1013  
 Smallwood, R. D., 645, 1035  
 Smith, A., 9  
 Smith, A. F. M., 579, 721, 756,  
     990, 1006, 1038  
 Smith, B., 27, 55, 455, 1012  
 Smith, D. E., 295, 313, 317, 411,  
     457, 1005, 1028, 1035,  
     1036, 1040  
 Smith, D. R., 315, 1036  
 Smith, J. M., 133, 1036  
 Smith, J. Q., 608, 609, 1026, 1036  
 Smith, R. C., 940, 1036  
 Smith, R. G., 56, 993  
 Smith, S. J. J., 183, 1036  
 Smith, V., 646, 1030  
 Smith, W. D., 188, 532, 989, 1024  
 SMODELS, 367  
 Smola, A. J., 759, 1033  
 Smolensky, P., 25, 1036  
 smoothing, 544–547, 575, 578,  
     **835**, 871  
     online, 550  
 Smyth, P., 579, 1036  
 SNARC, 17  
 SNLP, 410  
 snow, words for, 243  
 SOAR, 27, 286, 312, 456, 708, 971  
 social law, **452**  
 Socrates, 4  
 Socratic reasoning, **308**  
 Soderland, S., 410, 1036  
 softbot, **40**  
 softmax function, **782**  
 software agent, **40**  
 software architecture, **932**  
 Solomonoff, R. J., 17, 675, 1036  
 SOLUTION, 72, 77, 83  
 solution, **60**, 62, 87, 390, 633  
     in planning, **378**  
     optimal, **62**  
 solving games, 162–167  
 soma, 11  
 Somers, H., 830, 860, 997, 1011  
 Sompolinsky, H., 757, 987  
 sonar sensor, **903**  
 Sondik, E. J., 645, 1035, 1036

- sonnet, 952  
 Sobic, R., 157, 1036  
 soul, 964  
 sound (inference), 233  
 soundness (of inference), **203**  
 sour grapes, 35  
 Soutchanski, M., 365, 992  
 Sowa, J., 369, 1036  
 space complexity, *see* complexity  
 spacecraft assembly, 455  
 spam email, 861  
 Sparck Jones, K., 488, 830, 859, 1007, 1031  
 sparse system, **496**  
 SPASS, 314  
 spatial reasoning, **368**  
 spatial substance, *see* substance  
 speaker, **790**  
 speaker identification, 571  
 specialization, **680**, 681  
 spectrophotometry, 868–869  
 specular reflection, **867**  
 speech act, **790**, 790–791, 826, 827  
   indirect, **791**  
 speech recognition, 26, 549, **568**, 568–577, 580, 794  
 speech understanding, 568  
 SPEECH-PART, 796  
 spelling correction, **844**, 859  
 spheX wasp, 37, 444  
 SPI (Symbolic Probabilistic Inference), 529  
 Spiegelhalter, D. J., 529, 530, 675, 755, 1005, 1017, 1022, 1036  
 Spielberg, S., 964, 1036  
 SPIKE, 456  
 SPIN, 309  
 spin glass, 757  
 Spirtes, P., 755, 1036  
 Springsteen, B., 961, 1036  
 Sproull, R. F., 609, 1002  
 Sputnik, 21  
 SQL, 354  
 square roots, 45  
 SRI, 19, 267, 409, 608  
 Srinivas, B., 828, 1000  
 Srinivasan, A., 706, 709, 1026, 1036  
 Srivas, M., 309, 1036  
 Srivastava, B., 456, 1013  
 SSD, *see* sum of squared differences  
 SSS\* algorithm, 188  
 stability  
   of a controller, **928**  
   static, **906**  
   strict, **928**  
 stable model, **357**, 356–358  
 stack, 75  
 stack decoding, 858  
 Stader, J., 455, 987  
 STAGE, 132  
 STAHL, 710  
 Stallman, R. M., 157, 1036  
 STAN, 411  
 standardizing apart, **277**, 316  
 Stanfill, C., 756, 1036  
 Stanford University, 17, 19, 22, 23, 267  
 Stanhope Demonstrator, 234  
 Staniland, J. R., 488, 998  
 start symbol, **984**  
 STATE, 69, 72, 77, 83, 112  
 state  
   belief, 437  
   constraint, **380**, 405  
   current, in local search, **110**  
   initial, 139  
   process, **337**  
   set, 437  
   space, **62**, 87  
   space, metalevel, 104  
   world, 60  
 state constraints, **405**  
 States, D. J., 756, 1011  
**static** (variable), 985  
 static environment, 42  
 stationarity, 541  
 stationarity (for preferences), **617**  
 stationarity (in PAC learning), **668**  
 stationary distribution, **517**, 544  
 stationary process, **539**, 538–542  
 stationary processes, 538  
 statistical mechanics, 25, 757  
 STATLOG, 675  
 Steel, S., 456, 458, 987  
 Stefik, M., 369, 531, 1036  
 Stein, J., 532, 1024  
 Stein, L. A., 974, 1036  
 Steinbach, M., 846, 1036  
 Steiner, W., 940, 994  
 stemming, **844**  
 step cost, **62**  
 STEP-COST, 72  
 STEPS, 424  
 stereogram, random dot, 896  
 stereopsis, binocular, 874  
 Stern, H. S., 759, 1005  
 Sternberg, M. J. E., 706, 707, 1014, 1036, 1038  
 Stevens, K. A., 896, 1036  
 Stickel, M. E., 307, 314, 829, 860, 1009, 1036  
 stiff neck, 480  
 Stiller, L. B., 182, 1036  
 Stillings, N. A., 29, 1036  
 stimulus, 13  
 Stob, M., 675, 1026  
 stochastic beam search, **116**  
 stochastic dominance, *see* dominance, stochastic, 607  
 stochastic environment, *see* environment, stochastic  
 stochastic gradient, **742**  
 stochastic hill-climbing, **113**  
 Stockman, G., 188, 1037  
 Stoic school, 234, 364  
 Stokes, I., 455, 987  
 Stolcke, A., 859, 1037  
 Stone, P., 458, 1037  
 Stone, P. J., 674, 993  
 Stone, P. T., 674, 1011  
 stop word, **846**  
 STORE, 278, 316  
 Stork, D. G., 759, 1001  
 Story, W. E., 88, 1012  
 Strachey, C., 14, 186, 189, 1037, 1038  
 straight-line distance, **95**  
 Strat, T. M., 532, 1032  
 strategic environment, **41**  
 strategy (in a game), **163**, 632  
 strategy profile, **632**  
 strawberries, enjoy, 949  
 Striebel, C. T., 578, 579, 1030  
 string (in a language), **791**  
 string (in logic), **342**  
 string theory, 335  
 STRIPS, 377–379, 405, 409, 412–415, 417, 423, 425, 451, 456–458, 644, 708  
 STRIPS assumption, **378**  
 Strohm, G., 455, 1003  
 strong AI, **947**, 952–960  
 strong domination, **633**  
 Stuckey, P. J., 157, 158, 313, 314, 1011, 1020  
 STUDENT, 19  
 stuff, **327**  
 stupid pet tricks, 37  
 Stutz, J., 756, 995  
 stylometry, **861**  
 subcat, *see* subcategorization list



- subcategorization, **808**, 808–809  
   list, **808**  
 subevent, **335**  
 subgoal independence, **386**  
 subjective case, 806  
 subjectivism, **472**  
 Subramanian, D., 368, 708, 973,  
   1032, 1037  
 SUBST, 273, 288, 425  
 substance, 327–328  
   spatial, **337**  
   temporal, **337**  
 substitutability (of lotteries), **588**  
 substitution, **254**, 273  
 SUBSTRING, 119  
 subsumption, 306  
   in description logic, **353**  
   in resolution, **306**  
   lattice, 279  
 subsumption architecture, 458,  
   **932**  
 subtask sharing, **426**  
 successor function, **62**, 139, 162  
 SUCCESSOR-FN, 62, 72, 89  
 successor-state axiom, **332**  
 successor-state axioms, 236, 365  
 SUCCESSORS, 166, 170, 435  
 Sugihara, K., 897, 1037  
 Sugnet, C., 757, 993  
 Sulawesi, 152  
 sum of squared differences, **875**  
 sum of squared errors, **720**  
 SUMMATION, 977, **977**, 978  
 summer's day, 953  
 summing out, 508  
 Sun Microsystems, 962  
 Superman, 241, 341  
 supervised learning, **650**, 952  
 support vector, 750, **751**  
   machine, 675, **749**, 749–753,  
   759  
   virtual, 753  
 sure thing, 591  
 surface patches, 882  
 Sussman anomaly, 410, **414**  
 Sussman, G. J., 157, 312, 410,  
   1036, 1037  
 Sutherland, G. L., 22, 994  
 Sutherland, I., 156, 1037  
 Sutton, R. S., 644, 786–788, 989,  
   1037  
 Svartvik, J., 828, 1030  
 Svestka, P., 941, 1013  
 Svetnik, V. B., 579, 1042  
 SVM, *see* support vector machine  
 Swade, D. D., 14, 1037  
 Swartz, R., 949, 994  
 Swedish, 31  
 Swerling, P., 578, 1037  
 Swift, T., 313, 1037  
 syllogism, 4, **310**  
 symbol splitting, 406  
 symbolic differentiation, 318  
 symbolic integration, 686  
 synapse, **11**  
 synchro drive, **905**  
 synchronic knowledge, **258**  
 synchronization, **451**  
 synonymy, 347, 844  
 syntactic ambiguity, 828  
 syntactic sugar, **256**  
 syntactic theory (of knowledge),  
   **342**  
 syntax, 24, **200**  
   logical, 232  
 synthesis, **309**  
   deductive, **309**  
 synthesis of algorithms, 309  
 Syrjänen, T., 367  
 Syrjänen, T., 1025, 1037  
 systemic grammar, 818  
 systems reply, 959  
 SYSTRAN, 851, 860  
 Szathmáry, E., 1036  
 Szathmáry, E., 133  
 Szeliski, R., 875  
  
 $T(s, a, s')$  (transition model),  
   614, 765  
 $T(cat, i)$  (liquid event), 337  
 T-SCHED, 455  
 T4, 455  
 table tennis, *see* ping-pong  
 TABLE-DRIVEN-AGENT, 45, **45**  
 tabu search, **132**  
 TACAIR-SOAR, 312  
 tactile sensors, **904**  
 Tadepalli, P., 709, 1037  
 TAG (Tree-Adjoining Grammar),  
   828  
 Tait, P. G., 88, 1037  
 Take the Money and Run, 574  
 Talos, 939  
 Tamaki, H., 313, 858, 1026, 1037  
 Tambe, M., 708, 1037  
 Tanca, L., 312, 994  
 Tank, D. W., 11, 1026  
 Tarjan, R. E., 983, 1037  
 Tarski, A., 8, 267, 828, 1037  
 Tash, J. K., 644, 1037  
  
 task environment, 38, **38**  
 task network, 410  
 Tasmania, 152  
 Tate, A., 410, 412, 430, 455, 456,  
   987, 990, 1038  
 Tatman, J. A., 645, 1038  
 TAUM-METEO, 851, 860  
 taxi, 38, 39  
   in Athens, 491  
   automated, 53  
 taxonomic hierarchy, 24, 323  
 taxonomy, **323**, 347, 363  
 Taylor expansion, **912**  
 Taylor, C., 675, 896, 999, 1022  
 Taylor, R., 941, 1019  
 Taylor, W., 9, 157, 235, 995  
 TD, *see* temporal difference  
   learning  
 TD-GAMMON, 182, 189  
 teacher, 650  
 telephone number, 343  
 telescope, 534  
 television, 790  
 TELL, 195–197, 219, 269, 278,  
   361, 823  
 Teller, A., 132, 530, 1022  
 Teller, E., 132, 530, 1022  
 Temperley, D., 828, 1035  
 temporal difference learning,  
   767–771, 785  
 temporal inference, 541–549  
 temporal logic, **244**, 364  
 temporal probability models, 521  
 temporal reasoning, 537–583  
 temporal substance, *see* substance  
 temporal-difference equation, **769**  
 Tennenholtz, M., 786, 992  
 tennis, 450, 453  
 term (in logic), **248**, 248  
 term rewriting, 314  
 terminal state, 163  
 terminal symbol, **791**, 984  
 terminal test, **163**  
 TERMINAL-TEST, 166, 170, 173  
 TERMINAL?, 768, 769, 776  
 termination condition, 925  
 Tesauro, G., 182, 189, 778, 780,  
   786, 1038  
 test set, 660, **660**  
 TETRAD, 756  
 Teukolsky, S. A., 132, 1029  
 texel, **879**  
 texture, 874, **879**, 879  
 texture gradient, **879**, 896  
 Thagard, P., 29, 1038

- Thaler, R., 608, *1038*  
 thee and thou, 796  
 THEO, 971  
 theorem, **255**  
   incompleteness, 8  
 theorem prover, 3, 306–310  
   as assistants, 308  
 theorem proving, 409, 457  
   mathematical, 21, 31  
 theory resolution, 314  
 Theseus, 674  
 Thielscher, M., 365, *1038*  
 thingification, 341  
 thinking rationally, 4  
 Thitimajshima, P., 531, *990*  
 Thomas, A., 530, 755, *1005*  
 Thomason, R. H., 828, *1038*  
 Thompson, D. W., 888, *1038*  
 Thompson, H., 860, *991*  
 Thompson, K., 187, *996*  
 Thompson, S. A., 829, *1020*  
 thought, *see* reasoning  
   laws of, 4  
 thrashing, **104**  
 3SAT, 139  
 threshold, **738**  
 Throop, T. A., 183, *1036*  
 Thrun, S., 365, 935, 940, *992*,  
   994, *1003*, *1023*, *1038*  
 Tibshirani, R., 674, 756, 759,  
   *1004*, *1008*  
 tic-tac-toe, 163, 186, 189  
 tiling, **748**  
 tilt, **874**  
 time, 364  
 time complexity, *see* complexity  
 time expressions, 862  
 time interval, 365, 370  
 time slice (in DBNs), **538**  
 time to answer (in IR), **844**  
 Tinsley, M., 182  
 Tirole, J., 646, *1004*  
 tit for tat, **639**  
 Titterton, D. M., 756, *1038*  
 TMS, *see* truth maintenance  
   system  
 Toffler, A., 961, *1038*  
 tokenization, 849  
 Tomasi, C., 876, 896, *1038*  
 tomato, 572  
 top-down parsing, **798**  
 torque sensor, **904**  
 Torrance, M. C., 158, *1006*  
 Torras, C., 457, *1012*  
 total cost, **72**  
 Touretzky, D. S., 367, *1038*  
 touring problem, **67**  
 toy problem, *see* problem, toy  
 tracking, **908**  
 tractability of inference, 353  
 trading, 371  
 tragedy of the commons, **641**  
 trail, **291**  
 training  
   curve, **748**  
   set, **656**, 660, 673  
     replicated, **665**  
     weighted, **665**  
   on test set, 661  
 transfer model (in MT), **852**  
 transhumanism, **963**  
 transient failure, **561**  
 transition matrix, 536  
 transition model, 539, 566, 578,  
   **614**, 643  
 transition probability, **517**  
 transitivity (of preferences), 586,  
   **587**  
 TRANSLATE-TO-SAT, 403  
 translation model, **854**  
 transposition table, **171**  
 traveling salesperson problem, 68,  
   **68**, 88, 131, 135  
 Traverso, P., 411, 457, *991*, *996*  
 TREC, 847  
 tree decomposition, **154**  
 tree width, **155**, 158  
 TREE-SEARCH, **70**, **72**, 73, 75,  
   82, 87, 94, 97, 99, 129  
 treebank, 859  
 trial, **765**  
 triangle tables, 457  
 trichromatic perception, 869  
 trigram, **575**  
 trihedral solid, **882**  
 TRIPLETS, 892  
 Troyanskii, P., 860  
 Trucco, E., 897, *1038*  
 truth, **201**, 248  
   functionality, **524**, 528  
   preserving inference, **203**  
   table, **206**, 234  
 truth maintenance system, 157,  
   **360**, 360–362, 368, 966  
   assumption-based, **361**, 368  
   justification-based, **361**  
 Tsang, E., 158, *1038*  
 Tsitsiklis, J. N., 644, 779,  
   786–788, 983, *991*, *1020*,  
   *1027*, *1038*  
 TSP, *see* traveling salesperson  
   problem  
 TT-CHECK-ALL, 209, **209**  
 TT-ENTAILS?, 208, **209**, 221,  
   222, 226, 237  
 Tumer, K., 646, *1038*  
 Tung, F., 578, 579, *1030*  
 tuple, **245**  
 turbo decoding, **531**  
 Turcotte, M., 706, *1038*  
 Turing award, 983  
 Turing machine, 8, 675  
 Turing Test, **2**, 2–3, 5, 29, 30, 790,  
   948  
   total, **3**  
 Turing, A., 2, 8, 14, 16–18, 30,  
   51, 162, 186, 275, 311,  
   529, 757, 785, 853,  
   948–950, 953, 958, 965,  
   967, 975, *1038*  
 Turk, 186  
 Turtle, H. R., 859, *1038*  
 Tversky, A., 2, 498, 592, *1013*,  
   *1038*  
 TWEAK, 410  
 2001: A Space Odyssey, 529  
 two-finger Morra, 632  
 TYPE, 796  
 typical instance, 326  
 Tyson, M., 860, *1009*  
*U* (utility), 585  
 UCPOP, 410  
 Ullman, J. D., 312, 313, 828, 983,  
   987, 989, *1030*, *1039*  
 Ullman, S., 896, 897, *1011*, *1039*  
 ultraintelligent machine, 963  
 uncertainty, 23, 26, 321, **462**,  
   462–491, 525, 952  
   identity, **521**  
   reasoning with, *see* reasoning  
   relational, **521**  
   rule-based approach to, 523  
   summarizing, 464  
   and time, 537–541  
 unconditional probability, *see*  
   probability, prior  
 undecidability, 8, 30  
 undergeneration, **798**  
 unicorn, 238  
 unification, **276**, 276–277, 279,  
   310  
   and equality, 303  
 unifier, most general (MGU), 277,  
   **277**, 279, 303, 316

- uniform convergence theory, **675**
- uniform prior, 715
- uniform resource locator (URL), 345
- uniform-cost search, **75**, 87
- UNIFY, 277, 278, **278**, 282, 288, 291, 292, 304
- UNIFY-VAR, 278, **278**, 291
- uninformed search, *see* search, uninformed
- unique action axiom, **333**
- unique names assumption, 333, **333**, 355, 520
- unit clause, **214**, 305
- unit preference, 305
- unit propagation, **222**
- unit resolution, **214**
- United States, 13, 27, 143, 580, 600, 609, 752, 753, 960, 962
- units function, **325**
- universal grammar, **830**
- Universal Instantiation, **273**
- universal plan, 458
- unmanned air vehicle (UAV), **901**
- unmanned land vehicle (ULV), **901**
- UNPOP, 411
- unsupervised learning, *see* learning, unsupervised
- UOSAT-II, 455
- UPDATE-STATE, 49, 61, 796
- upper ontology, *see* ontology, upper
- URP, 608
- Urquhart, A., 364, *1030*
- Uskov, A. V., 187, *987*
- Utgoff, P. E., 674, 686, *1023*
- utilitarianism, 7
- UTILITY, 165, 166, 170
- utility, **51**, 162, 465
  - expected, 56, 466, 584, **585**, 590
  - function, **51**, 163, 584, 588–593, 778
  - independence, **597**
  - maximum expected, 466
  - of money, 589–591
  - multi-attribute, 593–597
  - multiplicative, **597**
  - node, **598**
  - normalized, **593**
  - ordinal, **591**
  - principle, 588
  - scale, 591–593
  - theory, **465**, 586–589, 607
    - multiattribute, 607
- utility function, 51
- utopia, 975
- utterance, **790**
- UWL, 457
- vacuum tube, 17
- vacuum world, 33–35, 57, 93, 433, 437, 788
  - double Murphy, 434, 439
  - triple Murphy, 436
- Vaessens, R. J. M., 456, *1039*
- vagueness, 524
- Valiant, L., 675, *1039*
- validity, **210**
- VALUE, 112, 116
- value determination, 788
- value function, **591**
  - additive, **597**
- value iteration, **618**, 618–623, 643, 644
- value node, *see* utility node
- value of computation, 972
- value of information, 600–604, 607, 612, 627, 772, 952, 972
- value of perfect information, **601**
- VALUE-DETERMINATION, 768
- VALUE-ITERATION, 620, **621**, 623, 920
- van Beek, P., 156–158, 988, *1015*
- van Benthem, J., 364, *1039*
- van Doorn, A. J., 896, *1015*
- van Harmelen, F., 708, *1039*
- van Heijenoort, J., 315, *1039*
- van Nunen, J. A. E. E., 644, *1039*
- van Roy, B., 787, *1039*
- van Run, P., 143, 158, 988
- vanishing point, **865**
- Van Emden, M. H., 313, 367, *1039*
- Van Hentenryck, P., 157, *1039*
- Van Roy, B., 779, 786, *1038*
- Van Roy, P. L., 289, 292, 313, *1039*
- Vapnik, V. N., 675, 757–759, 897, 992, 997, *1017*, *1039*
- Varaiya, P., 55, 787, *1003*, *1016*
- Vardi, M. Y., 313, 366, *1002*, *1016*
- variabilization (in EBL), 691
- variable
  - elimination, **507**, 507–509, 528, 529, 564
  - indicator, **727**
  - in logic, **249**
  - ordering, 143
- VARIABLE?, 278
- Varian, H. R., 646, *1039*
- Vaucanson, J., 939
- Vazirani, U., 132, 675, 987, *1013*
- Vecchi, M. P., 132, 157, *1014*
- vector, **979**
- vector quantization, **571**
- vector space model, **847**, 859
- Veloso, M., 708, *1039*
- Vempala, S., 858, *1026*
- verb phrase, **792**
- Vere, S. A., 455, *1039*
- verification, **309**
  - hardware, 265
- Verma, T., 529, 755, *1005*, *1027*
- Verri, A., 897, *1038*
- version space, **683**, 684
- version space collapse, 685
- VERSION-SPACE-LEARNING, **683**, 686
- VERSION-SPACE-UPDATE, 683, **683**, 685
- vertex (of a chart), **800**
- vertex (polyhedron), 882
- vervet monkeys, 790
- Vetterling, W. T., 132, *1029*
- Vickrey auction, **642**
- Vienna, 954
- Vigoda, E., 580, *1019*
- Vinge, V., 963, *1039*
- Viola, P., 897, *1039*
- virtual counts, **722**
- visibility graph, **941**
- vision, **3**, 5, 12, 19, 156, 865–894
- Visser, W., 309, *1008*
- Vitanyi, P. M. B., 675, *1018*
- Viterbi algorithm, **549**
- Viterbi equation, 836
- VITERBI-SEGMENTATION, **837**
- VLSI layout, 68, 88, 115
- vocal tract, 571
- Volk, K., 756, *1006*
- von Mises, R., 487, *1039*
- von Neumann, J., 9, 186, 608, 645, *1039*
- von Stengel, B., 646, *1015*
- von Winterfeldt, D., 608, *1039*
- von Kempelen, W., 186
- von Linne, C., 363
- von Neumann, J., 9, 15, 17
- Voorhees, E. M., 860, *1039*
- Voronoi graph, **922**
- Vossen, T., 411, *1039*

- voted perceptron, 757  
 VP (verb phrase), 792  
 VPI, *see* value of perfect information
- Wadsworth, C. P., 267, 1006  
 Waibel, A., 580, 1039  
 Waldinger, R., 267, 314, 315, 410, 1020, 1032, 1039  
 Walker, E., 28, 997  
 Walker, H., 756, 1006  
 WALKSAT, 150, 223, **223**, 224–226, 235, 357, 363, 406, 408, 411, 416  
 Wall, R., 828, 1000  
 Wallace, D. L., 861, 1024  
 Walras, L., 9  
 Walsh, M. J., 133, 1003  
 Walter, G., 940  
 Waltz, D., 19, 156, 756, 884, 1036, 1039  
 WAM, *see* Warren Abstract Machine, 313  
 Wang, E., 368, 1037  
 Wanner, E., 243, 1039  
 Warmuth, M., 88, 675, 991, 1030  
 WARPLAN, 410, 457  
 WARPLAN-C, 457  
 Warren Abstract Machine, 291, 313  
 Warren, D. H. D., 289, 291, 313, 410, 457, 793, 827, 1028, 1040  
 Warren, D. S., 313, 1037  
 washing clothes, 833  
 Washington, G., 340  
 Wasow, T., 828, 1032  
 wasp, sphex, 37  
 Watkins, C. J., 644, 786, 1040  
 Watson, J., 13  
 Watson, J. D., 120, 1040  
 Watt, J., 15  
 Wattenberg, M., 133, 1012  
 wavelength, 868  
 weak AI, **947**  
 weak domination, **633**  
 weak method, **22**  
 weather reports, 851  
 Weaver, W., 659, 674, 858, 860, 1034  
 Webber, B. L., 29, 830, 1007, 1012, 1040  
 Weber, J., 579, 875, 1010  
 Wefald, E. H., 131, 188, 972, 1032  
 Wegbreit, B., 940, 1023  
 Wegman, M. N., 314, 1027  
 Weidenbach, C., 314, 1040  
 weighted linear function, **172**  
 WEIGHTED-MAJORITY, 667  
 WEIGHTED-SAMPLE, 514, 515, **515**  
 Weiner, N., 860  
 Weinstein, S., 675, 830, 1007, 1026  
 Weisler, S., 29, 1036  
 Weiss, G., 56, 458, 1040  
 Weiss, S., 675, 860, 988, 1040  
 Weiss, Y., 531, 1024, 1042  
 Weizenbaum, J., 961, 966, 1040  
 Weld, D. S., 56, 368, 410–412, 456, 457, 962, 989, 1001, 1002, 1028, 1036, 1040  
 Wellman, M. P., 10, 531, 532, 608, 644, 645, 941, 999, 1040  
 Wells, P., 28, 1000  
 Werbos, P., 644, 757, 786, 1040  
 Wermuth, N., 529, 1017  
 Wertheimer, M., 896  
 Wesley, L. P., 458, 1041  
 Wesley, M. A., 941, 1040  
 West, Col., 280  
 Westinghouse, 455  
 Weymouth, T., 940, 996  
 Wheatstone, C., 895, 1040  
 White, J. L., 309, 1008  
 Whitehead, A. N., 16, 311, 690, 1040, 1041  
 Whiter, A. M., 455, 1038  
 Whitney, R. A., 829, 989  
 Whorf, B., 243, 1041  
 wide content, **956**  
 Widrow, B., 20, 757, 766, 785, 1041  
 Widrow–Hoff rule, **778**  
 Wiener, N., 15, 162, 186, 578, 757, 1031, 1041  
 Wilber, B. M., 314, 1032  
 Wilcox, B., 189, 1030  
 Wilczek, F., 758, 989  
 Wilensky, R., 24, 827, 829, 959, 1041  
 Wilfong, G. T., 940, 997  
 Wilkins, D. E., 185, 455, 457, 458, 1041  
 Wilks, Y., 829, 1041  
 Williams, B., 55, 368, 456, 1024, 1025  
 Williams, R., 610  
 Williams, R. J., 644, 757, 783, 786, 787, 1028, 1031, 1041  
 Williamson, M., 457, 1002  
 Wilson, A., 859, 1018  
 Wilson, R. A., 3, 29, 966, 1041  
 Wilson, R. J., 156, 991  
 Windows, 529  
 Winker, S., 309, 314, 1042  
 Winograd, S., 20, 1041  
 Winograd, T., 20, 23, 312, 860, 991, 1037, 1041  
 Winston, P. H., 2, 19, 674, 682, 1041  
 Wirth, R., 709, 1041  
 Witten, I. H., 824, 830, 858, 859, 1025, 1041  
 Wittgenstein, L., 6, 203, 234, 326, 363, 827, 1041  
 Wizard, 529  
 Wöhler, F., 953  
 Wojciechowski, W. S., 309, 1041  
 Wojcik, A. S., 309, 1041  
 Wolf, A., 828, 1007  
 Wolpert, D., 646, 1038  
 Wong, A., 859, 1033  
 Wood, D. E., 131, 1017  
 Wood, M. K., 132, 1041  
 Woods, T., 821  
 Woods, W. A., 366, 828, 1041, 1042  
 Wooldridge, M., 56, 1042  
 Woolsey, K., 780  
 word, **791**  
 word alignment vector, **857**  
 Wordnet, 860  
 working memory, 708  
 workspace, **917**  
 world model, in disambiguation, 821  
 world state, *see* state, world  
 World War II, 10, 529, 578  
 World Wide Web, 27, 344, 834, 840, 843, 845, 862  
 worst possible catastrophe, 593  
 Wos, L., 309, 314, 315, 1042  
 wrapper (for Internet site), **348**  
 Wright, O. and W., 3  
 Wright, S., 132, 528, 1042  
 Wrightson, G., 315, 1035  
 Wu, D., 829, 1042  
 wumpus world, **197**, 197–200, 208, 236, 258–260, 322, 483–486, 491, 791  
 Wundt, W., 12, 895  
 Wygant, R. M., 312, 1042

- XCON, 286  
Xerox, 851  
XML, 364, 849  
xor, *see* exclusive or  
XTAG, 828
- Yakimovsky, Y., 609, 1002  
Yale, 24  
Yamada, K., 856, 861, 1005, 1042  
Yan, D., 455, 1004  
Yang, C. S., 859, 1033  
Yang, Q., 412, 456, 1042  
Yannakakis, M., 133, 157, 990, 1027  
Yap, R. H. C., 313, 1011  
Yedidia, J., 531, 1042  
Yip, K. M.-K., 368, 1042  
Yngve, V., 828, 1042  
Yob, G., 236, 1042  
Yoshikawa, T., 941, 1042
- Young, R. M., 456, 1042  
Young, S. J., 859, 1017  
Young, T., 868  
Younger, D. H., 828, 1042  
Yung, M., 88, 135, 987, 1008  
Yvanovich, M., 456, 999
- Z-3, 14  
Zadeh, L. A., 532, 1042  
Zaidel, M., 828, 1000  
Zapp, A., 897, 1000  
Zaritskii, V. S., 579, 1042  
zebra puzzle, 159  
Zelle, J., 826, 830, 1042  
Zermelo, E., 645, 1042  
zero-sum game, **635**  
Zhai, C., 859, 1017  
Zhang, L., 235, 1024  
Zhang, N. L., 529, 1043  
Zhang, W., 131, 1016
- Zhao, Y., 235, 1024  
Zhivotovsky, A. A., 187, 987  
Zhixing, C., 183  
Zhou, R., 131, 1043  
Zhu, D. J., 941, 1043  
Zilberstein, S., 457, 971, 1007, 1043  
Zimmermann, H.-J., 532, 1043  
Zisserman, A., 896, 897, 1003, 1008, 1024  
Zlotkin, G., 646, 1031  
Zobrist, A. L., 189, 1043  
Zog, 687  
Zuckerman, D., 114, 1019  
Zuse, K., 14, 186, 1043  
Zweben, M., 456, 999  
Zweig, G., 580, 1043  
Zytkow, J. M., 710, 1017